


# Caravans 2026

## Technical Information

Valid from February 23th, 2026



# Dethleffs Plus Factors –

## Explanation of symbols

In the Dethleffs caravans, there are a lot of smart ideas and standard features for more safety and comfort. Here we present the most important ones with the corresponding symbols which can be found on the pages of the vehicle. More detailed information can be found at: [www.dethleffs.com/plus-factors](http://www.dethleffs.com/plus-factors).

### Family benefits



**Happy family:** Layouts with bunk beds – ideal for families. Up to three bunk beds available as an option.



**Practical refrigerator** with large volume and separate freezer compartment (details see technical data)

### Added equipment



**Winter expert!** Winter-proof caravans thanks to optional Winter Comfort Packages (option)



**Agile travelling** – with caravans that go up to 100 km/h



**For a healthy room climate:** Optimum ventilation of the overhead lockers avoids condensation



**System Information Unit:** The SIU control unit incl. the sensors for displaying the vehicle leveling and the battery voltage are installed as standard (further sensors optionally available via Dethleffs Original Accessories)

### Added comfort



**Generous:** XL entrance door with a width of 65 cm



**SleepWell:** Fixed beds with 7-zone mattresses with ergonomic wooden slatted bed frames



**More room:** Fold-away lower bunk bed for more storage or greater playground (dep. on model)



**Practical pull-down bed** for easy stowage above the seating group (depending on model)



**More legroom:** One-leg telescopic table with easy lowering function for converting the lounge to bed (depending on model)

### Added safety



**Vehicle roof** made of robust GRP – protects from unusual weather conditions



**Roof, front and rear** made of robust GRP



**Better safe than sorry:** Benefit from Safety Packages for more safety on the road (option)



**Safety on the road:** Brand chassis from safety experts



**Safety clutch:** Stabilises rolling and pitching movements




**Safety on the road:** Thanks to the outstanding deceleration values and automated re-adjustment

# IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR CARAVAN

When purchasing a caravan, it is especially important to select not only an appealing design, but also the right layout. Weight also plays an essential role here. Family, friends, optional equipment, accessories, and baggage – there should be enough space for all of this. At the same time, there are legal and technical limits for configuration and loading. Each caravan is designed for a certain weight which must not be exceeded during travel. This raises a question for caravan buyers: How should I configure my vehicle to accommodate baggage and accessories according to my needs without causing the vehicle to exceed this maximum weight? To help you make this decision, we have provided you some information below that is particularly important when selecting your vehicle from our product range:

## 1. The technically permissible maximum laden mass...

... is a value specified by the manufacturer which the vehicle must not exceed. Based on the layout, Dethleffs specifies an upper limit for the vehicle, which can vary from layout to layout (e.g. 1,600 kg, 1,700 kg). You will find the corresponding specification for each layout in the technical data.




Caravans		460 EL	470 ER	470 FR	500 QSK
Sleeping berths standard / max.		3	3	4	5/6 ○
● Technically permissible maximum laden mass*	kg	1500	1500	1500	1500
Manufacturer-specified mass for optional equipment*	kg	180	188	158	96
● Mass in running order (± 5 %)*	kg	1235 (1173 to 1297)*	1225 (1164 to 1286)*	1245 (1183 to 1307)*	1295 (1130 to 1360)*

## 2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value specified in the sales documents. The permissible tolerance is ± 5%. The permissible range in kilograms is stated in parentheses after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trading partner of the weighing result of your vehicle for forwarding to you. For detailed explanations of the mass in running order and the effect of tolerances on the minimum payload and the payload, please refer to the “Legal notes” section.

### 3. The standard sleeping berths...

... are specified by the manufacturer and shown in the sales documents. The number of sleeping berths can be increased (e.g. 3-person bunk bed) or, if required, reduced (e.g. sideboard instead of seating group) by selecting optional equipment.



Caravans		460 EL	470 ER	470 FR	500 QSK
● Sleeping berths standard / max.		3	3	4	5/6 ○
Technically permissible maximum laden mass*	kg	1500	1500	1500	1500
● Manufacturer-specified mass for optional equipment*	kg	180	188	158	96
Mass in running order ((± 5 %)*	kg	1235 (1173 to 1297)*	1225 (1164 to 1286)*	1245 (1183 to 1307)*	1295 (1130 to 1360)*

### 4. The mass for optional equipment specified by the manufacturer...

... is a value set for each layout by Dethleffs for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, we will check together with your trading partner and you whether we should, for example, increase the load capacity of the vehicle or remove optional equipment before delivering the vehicle. For detailed explanations of the effects of the tolerances on the minimum payload and the payload, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Price	Additional weight (kg)*	Code	460 EL	470 ER	470 FR
<b>Bathroom</b>							
Bathroom in alternative design	-	399,-	4	604	-	-	-
<b>Multimedia</b>							
Multifunctional external connection, 12 V, 220 V, TV and SAT	-	1.129,-	10	1049	-	○	○
Flat screen TV 22" incl. DVD player and receiver	-	999,-	3.5	1103	○	○	○

### 5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the payload. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the mass for optional equipment specified by the manufacturer.



## **INDEX CARAVANS**

**IMPORTANT INFORMATION** REGARDING THE SELECTION OF YOUR CARAVAN ..... 2

**c'joy ACTIVE** c'joy ACTIVE ..... 5

**c'go & c'go up ACTIVE** c'go & c'go up ACTIVE ..... 13

**Summer-Edition** Summer Edition ..... 22

**Camper®** Camper® ..... 31

**Nomad** Nomad ..... 45

**Beduin Scandinavia** Beduin Scandinavia ..... 59

**LEGAL NOTES ON** WEIGHT-RELATED INFORMATION ..... 67

**TECHNICAL INFORMATION / FOOTNOTES** ..... 69

# c'joy ACTIVE

## Happy holidays at a great price

Dreaming of unforgettable getaways? The c'joy ACTIVE is a real gem for families! Perfect for first-time buyers and young families, it combines an attractive price with a full range of features. The interior is cosy and finished in bright, welcoming tones – ideal for complete relaxation. And thanks to its compact size, it's a great match for smaller towing vehicles. Everything you need for the perfect holiday feeling!

## Upholstery



+ Upholstery Belu



+ Upholstery Timor

○



+ Upholstery Kapan

○

## Wood décor



+ Wood décor Tindari Bora

○ optionally available

## Technical info

Overall length, approx.	625 - 714 cm
Overall width, approx.	213 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + Save smart with the ACTIVE Package: unbeatable value for money, especially for young families and first-time buyers.
- + Easy peasy on the road: no need to worry about manoeuvring – the c'joy is slim on price and compact in size. With a width of 212 cm, it fits through anywhere.
- + Easy to use: our genuine lightweight design makes getting started child's play – often all you need is a Class B driving licence and a suitable towing vehicle.
- + Your happy place: new upholstery and sophisticated furniture details create modern cosiness.
- + Protects against inclement weather: The roof, bow and stern are made of durable GRP to provide protection in all weather conditions.
- + Guaranteed watertightness for 10 years: Regular leak tests ensure that your vehicle is reliably protected in all weather conditions.



# c'joy ACTIVE

## Technical info



c'joy ACTIVE		420 QSH Active	460 LE Active	480 QLK Active
Standard chassis		Lightweight chassis, 1100 kg	Lightweight chassis, 1200 kg	Lightweight chassis, 1300 kg
Overall length, approx.	cm	625	675	714
Body length approx.	cm	502	552	593
Overall width, approx.	cm	213	213	213
Overall height, approx.	cm	265	265	265
Circumferential dimension awning approx.	cm	918	968	1008
Headroom in living area, approx.	cm	198	198	198
Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	195 x 150	190 x 100 - 90	190 x 150
Bed dimension: Central / middle bed, L x W, approx.	cm	170 x 90 - 80	—	190 x 120
Bed dimension: Rear bed, L x W, approx.	cm	—	200 x 80 / 195 x 80 / 200 - 195 x 190 ○	190 x 60 / 190 x 70 / 2x 190 x 60 ○ / 190 x 70 ○
Sleeping berths standard / max.		3	3	5 / 6 ○
Mass in running order (+/-5%)*	kg	921 (875 to 967)*	942 (895 to 989)*	1052 (999 to 1105)*
Manufacturer-specified mass for optional equipment*	kg	90	163	121
Technically permissible maximum laden mass*	kg	1100	1200	1300
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	131,5 (15)	83 (8,2)	131,5 (15)
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	12 / 12	12 / 12	12 / 12
Sockets: 12 V / 230 V / USB		0 / 3 / 0	0 / 3 / 0	0 / 2 / 0

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

420 QSH Active  
460 LE Active  
480 QLK Active

	420 QSH Active	460 LE Active	480 QLK Active
<b>Chassis</b>			
Chassis galvanised, with overrun braking system and automatic reverse	●	●	●
Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg	●	●	●
<b>Chassis features</b>			
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●
Lightweight corner steadies	●	●	●
<b>Exterior features</b>			
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●
Front, rear and roof made of robust GRP	●	●	●
Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●
Spare wheel carrier in gas locker	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●
Two-piece entrance door	●	●	●
<b>Exterior design</b>			
Sides in hammer finish, white	●	●	●
<b>Access locker doors</b>			
Access locker door rear right side 560x1150 mm	—	—	●
<b>Interior design</b>			
Upholstery Belu	●	●	●
Wood décor Tindari Bora	●	●	●
<b>Textile equipment</b>			
7-zones cold foam mattress single bed, left side, standard	—	●	—
7-zones cold foam mattress single bed, right side, standard	—	●	—
Cold foam double bed mattress	●	—	●
<b>Furniture layouts</b>			
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	—	●
Bunk beds with safety net and ladder	—	—	●
Seating lounge converts to bed	●	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●
<b>Kitchen</b>			
Practical 3-flames cooker with manual ignition	●	●	●
Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment	●	—	●
Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment	—	●	—
<b>Bathroom</b>			
Shapely washbasin	●	●	●
Shower tray	●	●	●
Skylight with mosquito net	●	●	●
<b>Heating</b>			
Gas heating S 3004 with automatic ignition	●	●	●
<b>Electrical installation</b>			
12 V power supply throughout vehicle	●	●	●
Awning light 12V	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	●	●	●
<b>Water supply</b>			
Electric water supply	●	●	●
Fresh water canister 12 l	●	●	●
<b>Miscellaneous</b>			

# Standard equipment

SIU-ready (preparation for SIU control unit)

420 QSH Active	460 LE Active	480 QLK Active
●	●	●

# Packages c'joy ACTIVE

Package	Active-Paket 420 QSH (15498)	Active package 460 LE (15499)	Active package 480 QLK (15500)
Weight upgrade to 1.360 kg (without chassis change)	x	x	
Wheel trims for 14" tyres	x	x	x
Safety coupling	x	x	x
Shock absorbers	x	x	x
Front window	x		x
Skylight 700 x 500 mm	x	x	x
Flyscreen door	x	x	x
Access locker door front right side 1000x420 mm	x		x
Hot air system	x	x	x
USB port for spotlight bar	x	x	x
Additional lighting through LED spotlights	x	x	x
Fresh water tank 44 l	x	x	x
Mobile 22 l waste water tank	x	x	x
Hot water supply	x	x	x
Rear window		x	
Kitchen window, sliding (change of window shape)		x	
Access locker door rear right side 1000x420 mm		x	
Single beds convert to double bed		x	
Weight upgrade to 1.500 kg			x
Additional weight (kg)*	30	40	30

Package	Autonomy Package I (10011)	Autonomy Package II (10012)
Battery (95 Ah)	x	x
Battery charger	x	x
Central 12V main switch	x	x
Voltage display	x	x
Fan 12V for S 3004	x	
Additional weight (kg)*	31	29

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	420 QSH Active	460 LE Active	480 QLK Active
<b>Chassis</b>						
17" alloy wheels in Dethleffs design (single axle) <sup>1)</sup>	—	1	11608	○	○	○
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg <sup>1)</sup>	—	1	836	○	○	○
<b>Weight upgrade</b>						
Weight upgrade to 1.360 kg (without chassis change)	AC-P	0	9619	○	○	—
Weight upgrade to 1.500 kg	—	24	136	—	○	—
Weight upgrade to 1.500 kg	—	20	136	○	—	—
Weight upgrade to 1.500 kg	AC-P	0	136	—	—	○
<b>Chassis features</b>						
Draw bar cover	—	0	13098	○	○	○
ETS Plus stabilisation system	—	0	10764	○	○	○
Safety coupling <sup>2)</sup>	AC-P	0	13096	○	○	○
Shock absorbers <sup>2)</sup>	AC-P	0	13097	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	○	—	○
Spare tyre with alloy wheel 215/60 R17 C LI 109	—	24.1	11540	○	○	○
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	○	—	○
Wheel trims for 14" tyres	AC-P	0.5	276	○	○	○
<b>Exterior features</b>						
Flyscreen door	AC-P	3	360	○	○	○
Front window	AC-P	3	982	○	●	○
Kitchen window, sliding (change of window shape) <sup>3)</sup>	AC-P	3	6406	○	○	○
Opening window in bathroom	—	2	1028	○	○	○
Rear window	AC-P	4	1108	—	○	—
Skylight 700 x 500 mm	AC-P	10	11575	○	○	○
<b>Access locker doors</b>						
Access locker door front left side 1000x420 mm	—	2	6415	○	—	○
Access locker door front right side 1000x420 mm	AC-P	2	6416	○	—	○
Access locker door rear left side 1000x420 mm	—	2	6417	—	○	—
Access locker door rear right side 1000x420 mm	AC-P	2	6418	—	○	—
<b>Interior design</b>						
Upholstery Kapan	—	0	13226	○	○	○
Upholstery Timor	—	0	13225	○	○	○
<b>Furniture layouts</b>						
Bunk bed with 3 sleeping berths, not foldable	—	21	200	—	—	○
Single beds convert to double bed	AC-P	6	685	—	○	—
<b>Multimedia</b>						
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○
<b>Heating</b>						
Fan 12V for S 3004	AP	2	177	○	○	○
Hot air system	AC-P	0	142	○	○	○



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	420 QSH Active	460 LE Active	480 QLK Active
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	○	○
<b>Air Conditioning</b>						
Pre-wiring for A/C	—	3.5	172	○	○	○
Roof A/C	—	37	6512	○	○	○
<b>Electrical installation</b>						
Additional lighting through LED spotlights	AC-P	0	9692	○	○	○
USB port for spotlight bar	AC-P	0.5	9989	○	○	○
<b>Water supply</b>						
Fresh water tank 44 l	AC-P	6	9240	○	○	○
Hot water supply	AC-P	2	123	○	○	○
Mobile 22 l waste water tank	AC-P	3	367	○	○	○
Shower equipment with shower fittings and curtain	—	3	1097	○	○	○
<b>Packages</b>						
Active package 460 LE	—	40	15499	—	○	—
Active package 480 QLK	—	30	15500	—	—	○
Active-Paket 420 QSH	—	30	15498	○	—	—
Autonomy Package I	—	31	10011	○	○	○
Autonomy Package II	—	29	10012	○	○	○
<b>Miscellaneous</b>						
Registration documents (CoC papers)	—	0	15151	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

AC-P Active Package AP Autonomy Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Accessory Equipment\*

Please note that the prices listed in this category are the recommended retail price of our original accessories. Additional assembly costs may be incurred for the subsequent assembly of the original accessories by your dealer.

	Included in package	Additional weight (kg)*	Code	420 QSH Active	460 LE Active	480 QLK Active
<b>Original Accessories - Exterior</b>						
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○
SIU Smart Sensor drawbar load indicator	—	6.57	3447380	○	○	○
SIU Smart Sensor gas indicator	—	0.03	3447374	○	○	○
SIU Smart Sensor tyre pressure	—	0	3447384	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○
<b>Original Accessories - Interior</b>						
Clothes hooks	—	0.51	3156334	○	○	○
Fitted sheet bunk bed	—	0.7	2897494	—	—	○
Fitted sheet double bed	—	1	2897491	○	—	○
Fitted sheet single bed	—	0.7	2897492	—	○	—
Mattress topper bunk bed	—	6	2897505	—	—	○
Mattress topper double bed	—	12	2897503	○	—	○
Mattress topper single bed	—	6	2897504	—	○	—
Paper roll holder	—	0.9	3162090	○	○	○
Retrofittable multifunctional rail	—	0.5	3683772	○	○	○
Retrofittable multifunctional rail	—	0.5	3683760	○	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○
SIU Smart Sensor Temperature	—	0.02	3447392	○	○	○
SIU Smart Sensor water tank level indicator	—	0.14	3447393	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○
Set of 3 hooks for rail - silver	—	0.05	3162088	○	○	○
Set of 3 hooks for rail- black	—	0.1	3756532	○	○	○
Storage shelf	—	0.24	3047938	○	○	○
Storage shelf - black	—	0.3	3756548	○	○	○
Storage tray	—	0.3	3713423	○	○	○
Storage tray - silver	—	0.28	3387301	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The items listed in this category are original Dethleffs parts and accessories that are retrofitted to the vehicle after delivery from the factory and not under the responsibility of the manufacturer. Original Dethleffs parts and accessories retrofitted to the vehicle affect the load capacity as well as the mass on the axle. Please note that the technically permissible maximum laden mass of the


vehicle as well as the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original Dethleffs parts and accessories. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# c'go & c'go up ACTIVE


## Big savings, great getaways

Equipped with the ACTIVE package, the c'go and c'go up caravans offer a comprehensive range of features at an incredible price. Whether it's a weekend getaway or a longer family holiday, the c'go adapts to your needs. Its bright, welcoming interior makes you feel at home from the moment you step inside. Whether you're looking to buy a compact model for spontaneous trips or a spacious family caravan, our clever layouts are the perfect fit. Families will especially appreciate the c'go up 525 KR – its rear pull-down bed creates extra living space without increasing the caravan's overall footprint.


## Upholstery



+ Upholstery  
Granada



+ Upholstery  
Estepona ○



+ Upholstery  
Manilva ○

## Wood décor



+ WEB Alaska White

○ optionally available

## Technical info

Overall length, approx.	676 - 756 cm
Overall width, approx.	233 cm
Overall height, approx.	261 - 271 cm
Headroom in living area, approx.	198 - 208 cm

Maximum values partly not possible for all models or only in connection with certain options.


## Plus factors

- + Ready to go! Experience the perfect combination of comfort and affordability with the new c'go and g'go up ACTIVE.
- + Cosy interior: New upholstery and furniture details create a pleasant and modern atmosphere.
- + Clever pull-down bed: The c'go up ACTIVE impresses with a standard pull-down bed (200 x 140 cm lying surface) above the seating area.
- + Protects you from bad weather: roof, front and rear made of robust GRP
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.



# c'go & c'go up ACTIVE

## Technical info



c'go & c'go up ACTIVE		475 EL	495 FR	495 QSK	up 525 KR
Standard chassis		Lightweight chassis, 1300 kg	Lightweight chassis, 1360 kg	Lightweight chassis, 1360 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	676	725	714	756
Body length approx.	cm	552	588	587	623
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	261	261	261	271
Circumferential dimension awning approx.	cm	955	992	990	1040
Headroom in living area, approx.	cm	198	198	198	208
Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	210 x 85 / 185 x 85 / 200 x 190 ○	200 x 145 - 110	210 x 135	205 x 75 / 200 x 75 / 175 x 90 - 80
Bed dimension: Central / middle bed, L x W, approx.	cm	—	—	190 x 90	—
Bed dimension: Rear bed, L x W, approx.	cm	210 x 105	210 x 150 - 130	2x 210 x 75 / 3x 210 x 75 ○	200 x 145 / 212 x 170 - 160
Sleeping berths standard / max.		3	4	5 / 6 ○	7
Mass in running order (+/-5%)*	kg	1130 (1074 to 1187)*	1135 (1078 to 1192)*	1165 (1107 to 1223)*	1341 (1274 to 1408)*
Manufacturer-specified mass for optional equipment*	kg	79	118	67	117
Technically permissible maximum laden mass*	kg	1300	1360	1360	1600
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	78 (11)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	23	23	23	23
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	44 / 15	44 / 15	44 / 15	44 / 15
Sockets: 12 V / 230 V / USB		0 / 5 / 0	0 / 5 / 0	0 / 5 / 0	0 / 6 / 0

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

475 EL	495 FR	495 QSK	up 525 KR
--------	--------	---------	-----------

	475 EL	495 FR	495 QSK	up 525 KR
<b>Chassis</b>				
Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg	●	●	●	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●
<b>Chassis features</b>				
AAA self-adjusting brake	—	—	—	●
ACS stabiliser	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●
Lightweight zinc-plated corner steadies	●	●	●	●
Octagon shock absorber	●	●	●	●
<b>Exterior features</b>				
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●
Front, rear and roof made of robust GRP	●	●	●	●
One-piece habitation door	●	●	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●
Skylight Mini Heki	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●
<b>Exterior design</b>				
Sides in hammer finish, white	●	●	●	●
<b>Access locker doors</b>				
Access locker door front right side 1000x420 mm	●	●	●	—
Access locker door front right side 997x419 mm	—	—	—	●
<b>Interior design</b>				
Upholstery Granada	●	●	●	●
WEB Alaska White	●	●	●	●
<b>Textile equipment</b>				
7-zones cold foam mattress single bed, left side, standard	●	—	—	—
7-zones cold foam mattress single bed, right side, standard	●	—	—	—
Cold foam double bed mattress	—	●	●	●
<b>Furniture layouts</b>				
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	—	●	●
Bunk beds with safety net and ladder	—	—	●	●
Seating lounge converts to bed	●	●	●	●
Spacious pull-down bed above seating lounge, with manual control	—	—	—	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●
<b>Interior features</b>				
Smoke detector	●	●	●	●
<b>Kitchen</b>				
Generous drawers with soft closing for absolutely silent closing	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	—	●	●	●
Practical 3-flames cooker with electric ignition	●	●	●	●
Spacious fridge with 78 liters volume and 11 liters freezer compartment	●	—	—	—
<b>Bathroom</b>				
Shapely washbasin	●	●	●	●
Shower tray	●	●	●	●
Skylight with mosquito net	●	●	●	●
<b>Heating</b>				
Gas heating S 3004 with automatic ignition	●	●	●	●

# Standard equipment

475 EL	495 FR	495 QSK	up 525 KR
--------	--------	---------	-----------

Electrical installation				
12 V power supply throughout vehicle	●	●	●	●
Additional lighting through LED spotlights	●	●	●	●
Awning light 12V	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	●	●	●	●
LED spots in front and rear seating lounges	●	●	●	●
Water supply				
Electric water supply	●	●	●	●
Fresh water tank 44 l	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●
Miscellaneous				
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	●	●	●	●

# Packages c'go & c'go up ACTIVE

Package	Active-Paket 475 EL (15501)	Active-Paket 495 FR (15502)	Active package 495 QSK (15503)	Active package up 525 KR (15504)
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	x	x	x	x
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	x			
Corner steadies incl. large-area support feet	x	x	x	x
Heki II skylight incl. illuminated roof lining	x	x	x	x
Flyscreen door	x	x	x	x
Kitchen window, sliding (change of window shape)	x			x
7-zones mattress, made of heat-regulating material	x	x	x	x
Single beds convert to double bed	x			
Hot air system	x	x	x	x
Indirect lighting	x	x	x	x
USB port for spotlight bar	x	x	x	x
Pre-wiring for A/C	x	x	x	x
Hot water supply	x	x	x	x
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)		x		
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)			x	
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)				x
Additional weight (kg)*	70	69	41	36

Package	Safety Package (9556)	Safety Package (9556)
ATC Trailer Control	x	x
Automatic gas cylinder changeover with crash sensor	x	
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx		x
Additional weight (kg)*	4.4	4.4

Package	Autonomy Package I (10011)	Autonomy Package II (10012)
Battery (95 Ah)	x	x
Battery charger	x	x
Central 12V main switch	x	x
Voltage display	x	x
Fan 12V for S 3004	x	
Additional weight (kg)*	31	29

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	475 EL	495 FR	495 QSK	up 525 KR
<b>Chassis</b>							
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	AC-P	1	838	○	○	○	○
<b>Weight upgrade</b>							
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	AC-P	44	278	—	○	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	AC-P	36	278	○	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	AC-P	16	278	—	—	○	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	AC-P	8	279	—	—	—	○
<b>Chassis features</b>							
ATC Trailer Control	SHP	4	748	○	○	○	○
Corner steadies incl. large-area support feet	AC-P	4	9138	○	○	○	○
Draw bar cover	—	2	434	○	○	○	○
Solid rubber support wheel with support load indicator	—	2	10063	○	○	○	○
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	18.8	839	○	○	○	○
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	20.4	833	○	○	○	○
Wheel trims for 14" tyres	—	0.5	276	○	○	○	○
<b>Exterior features</b>							
Flyscreen door	AC-P	3	360	○	○	○	○
Front window	—	3	982	○	○	○	—
Heki II skylight incl. illuminated roof lining	AC-P	10	274	○	○	○	○
Kitchen window, sliding (change of window shape) <sup>4)</sup>	AC-P	3	6406	○	○	○	○
One-piece habitation door with window	—	0	6427	—	—	—	○
Opening window in bathroom	—	2	1028	○	○	○	○
<b>Exterior design</b>							
Smooth sides white	—	17	443	○	—	—	—
Smooth sides white	—	17	443	—	○	○	○
<b>Access locker doors</b>							
Access locker door front left side 1000x420 mm	—	2	6415	○	—	○	—
Access locker door front right side 1675x885 mm	—	0	9430	—	—	—	○
Access locker door rear left side 749x297 mm	—	2	1077	—	—	—	○
Access locker door rear right side 749x297 mm	—	2	1078	—	—	—	○
Access locker door rear right side 750x300 mm	—	2	6422	—	○	—	—
<b>Interior design</b>							
Upholstery Estepona	—	0	13901	○	○	○	○
Upholstery Manilva	—	0	13902	○	○	○	○
<b>Textile equipment</b>							
7-zones mattress, made of heat-regulating material	AC-P	0	10318	○	○	○	○
Loose carpet	—	7	513	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	475 EL	495 FR	495 QSK	up 525 KR
<b>Furniture layouts</b>							
Bunk bed with 3 sleeping berths, not foldable	—	21	200	—	—	○	—
Hanging table with plug-in table extension and 2-stage adjustable base	—	0	8699	—	—	○	—
Seat enlargement for opposite seating lounge (in comb. with option 8699) <sup>5)</sup>	—	0	7750	—	—	○	—
Single beds convert to double bed	AC-P	6	685	○	—	—	—
<b>Multimedia</b>							
Multifunctional external connection, 12 V, 220 V, TV and SAT <sup>6)</sup>	—	1	611	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○
<b>Heating</b>							
Electric floor heating	—	6	387	○	○	○	○
Fan 12V for S 3004	AP	2	177	○	○	○	○
Hot air system	AC-P	0	142	○	○	○	○
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	○	○	○
<b>Air Conditioning</b>							
Pre-wiring for A/C	AC-P	3.5	172	○	○	○	○
Roof A/C	—	37	6512	○	○	○	○
<b>Electrical installation</b>							
Indirect lighting	AC-P	1	633	○	○	○	○
USB port for spotlight bar	AC-P	0.5	9989	○	○	○	○
<b>Water supply</b>							
City water connection	—	2	414	—	—	—	○
Hot water supply	AC-P	2	123	○	○	○	○
Shower equipment with shower fittings and curtain	—	3	1097	○	○	○	○
<b>Gas supply</b>							
Automatic gas cylinder changeover with crash sensor	SHP	0.4	784	○	○	○	○
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	0.4	784	—	—	—	○
Gas socket (exterior) <sup>7)</sup>	—	1	187	○	○	○	○
<b>Packages</b>							
Active package 495 QSK	—	41	15503	—	—	○	—
Active package up 525 KR	—	36	15504	—	—	—	○
Active-Paket 475 EL	—	70	15501	○	—	—	—
Active-Paket 495 FR	—	69	15502	—	○	—	—
Autonomy Package I	—	31	10011	○	○	○	○
Autonomy Package II	—	29	10012	○	○	○	○
Safety Package	—	4.4	9556	○	○	○	—
Safety Package	—	4.4	9556	—	—	—	○
<b>Miscellaneous</b>							



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

Included in package	Additional weight (kg)*	Code	475 EL	495 FR	495 QSK	up 525 KR	
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

AC-P Active Package SHP Safety Package AP Autonomy Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Accessory Equipment\*

Please note that the prices listed in this category are the recommended retail price of our original accessories. Additional assembly costs may be incurred for the subsequent assembly of the original accessories by your dealer.

	Included in package	Additional weight (kg)*	Code	475 EL	495 FR	495 QSK	up 525 KR
<b>Original Accessories - Exterior</b>							
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○
SIU Smart Sensor drawbar load indicator	—	6.57	3447380	○	○	○	○
SIU Smart Sensor gas indicator	—	0.03	3447374	○	○	○	○
SIU Smart Sensor tyre pressure	—	0	3447384	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○
<b>Original Accessories - Interior</b>							
Clothes hooks	—	0.51	3156334	○	○	○	○
Fitted sheet bunk bed	—	0.7	2897494	—	—	○	○
Fitted sheet double bed	—	1	2897491	—	○	○	—
Fitted sheet single bed	—	0.7	2897492	○	—	—	—
Mattress topper bunk bed	—	6	2897505	—	—	○	○
Mattress topper double bed	—	12	2897503	—	○	○	—
Mattress topper pull-down bed	—	12	2897499	—	—	—	○
Mattress topper single bed	—	6	2897504	○	—	—	—
Paper roll holder	—	0.9	3162090	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683772	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683760	○	○	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○
SIU Smart Sensor Temperature	—	0.02	3447392	○	○	○	○
SIU Smart Sensor water tank level indicator	—	0.14	3447393	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○
Set of 3 hooks for rail - silver	—	0.05	3162088	○	○	○	○
Set of 3 hooks for rail- black	—	0.1	3756532	○	○	○	○
Storage shelf	—	0.24	3047938	○	○	○	○
Storage shelf - black	—	0.3	3756548	○	○	○	○
Storage tray	—	0.3	3713423	○	○	○	○
Storage tray - silver	—	0.28	3387301	○	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The items listed in this category are original Dethleffs parts and accessories that are retrofitted to the vehicle after delivery from the factory and not under the responsibility of the manufacturer. Original Dethleffs parts and accessories retrofitted to the vehicle affect the load capacity as well as the mass on the axle. Please note that the technically permissible maximum laden mass of the


vehicle as well as the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original Dethleffs parts and accessories. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Summer Edition

## Enjoy the Summer of a lifetime

Our Summer Edition stands for pure holiday fun and a sense of adventure! With a feature-packed specification and a price that's hard to resist, this summer stunner is simply unbeatable. Its striking design with bold, inspiring details makes it a real head-turner on the road. Choose from seven smart layouts – perfect for travel-loving couples and families with a taste for adventure. Each model comes equipped with premium safety equipment to ensure a relaxed and worry-free journey.

## Upholstery



+ Upholstery Ebro

## Wood décor



+ Wood décor Rosario Cherry


## Technical info

Overall length, approx.	691 - 818 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	282 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + Stylish and always eye-catching: side panels in hammered finnish Sunny Grey!
- + Arrive safely, travel more relaxed – with brand-name chassis, shock absorbers, anti-sway coupling and self-adjusting AAA brakes for maximum safety!
- + More payload, more freedom – thanks to the maximum weight upgrade as standard in all layouts!
- + Space for everything: 137-litre refrigerator, 15-litre freezer compartment.
- + Everything within easy reach – thanks to the large service flap!
- + Convenient access via the 65 cm wide living room door, including blinds and waste bin.
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.



# Summer Edition

## Technical info



Summer Edition		460 EL	470 FR	500 QSK	510 LE
Standard chassis		Lightweight chassis, 1700 kg	Lightweight chassis, 1800 kg	Lightweight chassis, 1800 kg	Lightweight chassis, 1800 kg
Overall length, approx.	cm	691	713	729	762
Body length approx.	cm	560	580	600	640
Overall width, approx.	cm	230	230	230	230
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	948	968	988	1028
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	195 R14C LI106	195 R14C LI106	195 R14C LI106
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 / 190 x 85 / 190 x 210 ○	200 x 135	210 x 155	210 x 140
Bed dimension: Central / middle bed, L x W, approx.	cm	—	—	190 x 100	—
Bed dimension: Rear bed, L x W, approx.	cm	210 x 115	210 x 135	2x 200 x 75 / 3x 200 x 75 ○	215 x 85 / 205 x 85 / 215 x 210 ○
Sleeping berths standard / max.		3	4	5 / 6 ○	4
Mass in running order (+/-5%)*	kg	1260 (1197 to 1323)*	1265 (1202 to 1328)*	1315 (1249 to 1381)*	1335 (1268 to 1402)*
Manufacturer-specified mass for optional equipment*	kg	354	438	365	361
Technically permissible maximum laden mass*	kg	1700	1800	1800	1800
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15	38 / 15	38 / 13
Sockets: 12 V / 230 V / USB		0 / 6 / 0	0 / 8 / 0	0 / 8 / 3	0 / 7 / 1



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Summer Edition

## Technical info



Summer Edition		530 DR	530 FSK	560 FMK
Standard chassis		Lightweight chassis, 2000 kg	Lightweight chassis, 2000 kg	Lightweight chassis, 2000 kg
Overall length, approx.	cm	776	788	818
Body length approx.	cm	660	660	685
Overall width, approx.	cm	230	230	250
Overall height, approx.	cm	282	282	282
Circumferential dimension awning approx.	cm	1048	1048	1078
Headroom in living area, approx.	cm	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		225/70 R15C LI112	225/70 R15C LI112	225/70 R15C LI112
Bed dimension: Front bed, L x W, approx.	cm	205 x 150	200 x 135	200 x 155
Bed dimension: Central / middle bed, L x W, approx.	cm	—	190 x 100	230 x 115
Bed dimension: Rear bed, L x W, approx.	cm	210 x 135	2x 200 x 75 / 3x 200 x 75 ○	2x 195 x 75 / 3x 195 x 75 ○
Sleeping berths standard / max.		4	5 / 6 ○	5 / 6 ○
Mass in running order (+/-5%)*	kg	1380 (1311 to 1449)*	1400 (1330 to 1470)*	1580 (1501 to 1659)*
Manufacturer-specified mass for optional equipment*	kg	514	474	302
Technically permissible maximum laden mass*	kg	2000	2000	2000
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 9 / 1	0 / 7 / 3	0 / 9 / 2

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

	460 EL	470 FR	500 QSK	510 LE	530 DR	530 FSK	560 FMK
<b>Chassis</b>							
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	●	●	●	●	—	—	—
Tyres on alloy wheels 225/70 R15 C LI112, 1.900 kg and 2.000 kg	—	—	—	—	●	●	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●	●	●	●
<b>Chassis features</b>							
AAA self-adjusting brake	●	●	●	●	●	●	●
ACS stabiliser	●	●	●	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●	●	●
<b>Exterior features</b>							
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●	●	●
Flyscreen door	●	●	●	●	●	●	●
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	●	●	●	●	●	●	●
Fully-insulated wheel houses	●	●	●	●	●	●	●
Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●	●	●
Robust GRP roof	●	●	●	●	●	●	●
Sidewall skirts with integrated side-marker lamps	●	●	●	●	●	●	●
Skylight Mini Heki	●	●	●	●	●	●	●
Space-saving gas locker door which opens upwards	●	●	●	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●	●	●
Wide, one-piece habitation door	●	●	●	●	●	●	●
<b>Exterior design</b>							
Front and rear in smooth sides white	●	●	●	●	●	●	●
Side panels in hammered finish, special Sunny Grey paint finish	●	●	●	●	●	●	●
<b>Access locker doors</b>							
Access locker door front right side 648x348 mm	—	—	—	—	●	—	—
Access locker door front right side 997x419 mm	●	—	●	—	—	●	—
Access locker door rear right side 997x419 mm	—	—	—	●	—	—	—
Front left storage compartment flap 997x419 mm	—	●	—	—	—	—	●
<b>Interior design</b>							
Upholstery Ebro	●	●	●	●	●	●	●
Wood décor Rosario Cherry	●	●	●	●	●	●	●
<b>Textile equipment</b>							
7-zones double bed mattress, made of heat-regulating material	—	●	●	—	●	●	●
7-zones mattress left side, made of heat-regulating material	●	—	—	●	—	—	—
7-zones mattress right side, made of heat-regulating material	●	—	—	●	—	—	—
High-quality upholstery and materials in the seating group	●	●	●	●	●	●	●
<b>Furniture layouts</b>							
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	—	●	—	—	●	●
Bunk beds with safety net and ladder	—	—	●	—	—	●	●
Seating lounge converts to bed	●	●	●	●	●	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●	●	●
<b>Kitchen</b>							
Generous drawers with soft closing for absolutely silent closing	●	●	●	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	●	●	●	●	●	●	●
Practical 3-flames cooker with electric ignition	●	●	●	●	●	●	●
Practical apothecary drawers (depending on layout)	—	●	●	●	●	●	●
<b>Bathroom</b>							
Integrated design washbasin made of solid surface material	●	●	●	●	●	●	●

# Standard equipment

	460 EL	470 FR	500 QSK	510 LE	530 DR	530 FSK	560 FMK
Shower tray	●	●	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●	●	●
<b>Heating</b>							
Gas heating S 3004 with automatic ignition	●	●	●	●	●	●	●
Hot air system	●	●	●	●	●	●	●
<b>Electrical installation</b>							
12 V power supply throughout vehicle	●	●	●	●	●	●	●
Awning light 12V	●	●	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●	●	●
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	●	●	●	●	●	●	●
<b>Water supply</b>							
Electric water supply	●	●	●	●	●	●	●
Fresh water tank 38 l	●	●	●	●	●	●	●
Hot water supply	●	●	●	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●	●	●	●

# Packages Summer Edition

Package	Mover Autonomy Package (single axle) (5560)
Mover manoeuvring support for single-axle	x
Electric Autonomy equipment	x
Additional weight (kg)*	70

Package	Water and electricity self-sufficiency package (9943)
Electric Autonomy equipment	x
Fresh water tank 70 l	x
Additional weight (kg)*	40.5

Shower Package (6105)	
Shower equipment with shower fittings and curtain	
City water connection	
Additional weight (kg)*	7

Safety Package (8950)	
ATC Trailer Control	
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	
Smoke detector	
Additional weight (kg)*	6.3

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

Included in package	Additional weight (kg)*	Code	460 EL	470 FR	500 QSK	510 LE	530 DR	530 FSK	560 FMK
---------------------	-------------------------	------	--------	--------	---------	--------	--------	---------	---------

Chassis features									
ATC Trailer Control	SHP	4	748	○	○	○	○	○	○
Breakdown kit	—	1	620	○	○	○	○	○	○
Draw bar cover	—	2	434	○	○	○	○	○	○
Large support feet, 4 pc.	—	1	6348	○	○	○	○	○	○
Mover manoeuvring support for single-axle <sup>8)</sup>	M-P	32	946	○	○	○	○	○	○
Solid rubber support wheel with support load indicator	—	2	10063	○	○	○	○	○	○
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	18.8	839	○	○	○	○	—	—
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg	—	23.2	1092	—	—	—	—	○	○
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	19.5	833	○	○	○	○	—	—
Exterior features									
Front window	—	4	982	○	—	○	●	○	—
Front window (bed area), if washroom in front	—	5	855	—	○	—	—	—	○
Manual cassette awning, 3.75 m	—	25.5	13831	○	○	—	—	—	—
Manual cassette awning, 4 m	—	27.5	13832	—	—	○	○	—	—
Manual cassette awning, 4.5 m	—	30	13833	—	—	—	—	○	○
Rear window	—	4	1108	●	●	—	○	●	—
Access locker doors									
Access locker door rear left side 640 x 1000 mm	—	0	11478	—	—	—	—	—	○
Access locker door rear right side 640x1000 mm	—	0	11278	—	—	○	—	—	○
Furniture layouts									
Bunk bed with 3 sleeping berths, not foldable	—	20	200	—	—	○	—	—	○
Single beds convert to double bed	—	5	685	○	—	—	○	—	—
Slatted bed frame with adjustable head section	—	1	871	○	—	—	○	—	—
Interior features									
2 kg fire extinguisher	—	3.5	843	○	○	○	○	○	○
Smoke detector	SHP	0.3	8949	○	○	○	○	○	○
Multimedia									
Flat screen TV 22" incl. DVD player and receiver	—	3.5	1103	○	○	○	○	○	○
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○	○
Heating									
Electric floor heating	—	6	387	○	○	○	○	○	○
Fan 12V for S 3004	—	2	177	○	○	○	○	○	○
Air Conditioning									
Pre-wiring for A/C	—	0	172	○	○	○	○	○	○
Roof A/C	—	35	8145	○	○	○	○	○	○
Electrical installation									
Electric Autonomy equipment	M-P, WEA-p	38	492	○	○	○	○	○	○
Water supply									
City water connection	DUP	2	414	○	○	○	○	○	○
Exterior shower	—	2	396	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	470 FR	500 QSK	510 LE	530 DR	530 FSK	560 FMK
Fresh water tank 70 l	WEA-P	2.5	592	○	○	○	○	○	○	○
Shower equipment with shower fittings and curtain	DUP	5	1097	○	○	○	○	○	○	○
<b>Gas supply</b>										
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	2	784	○	○	○	○	○	○	○
Gas socket (exterior)	—	1	187	○	○	○	○	○	○	○
<b>Packages</b>										
Mover Autonomy Package (single axle)	—	70	5560	○	○	○	○	○	○	○
Safety Package	—	6.3	8950	○	○	○	○	○	○	○
Shower Package	—	7	6105	○	○	○	○	○	○	○
Water and electricity self-sufficiency package	—	40.5	9943	○	○	○	○	○	○	○
<b>Miscellaneous</b>										
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

SHP Safety Package M-P Mover Autonomy Package WEA-P Water and Electric Autonomy Package DUP Shower Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Accessory Equipment\*

Please note that the prices listed in this category are the recommended retail price of our original accessories. Additional assembly costs may be incurred for the subsequent assembly of the original accessories by your dealer.

	Included in package	Additional weight (kg)*	Code	460 EL	470 FR	500 QSK	510 LE	530 DR	530 FSK	560 FMK
<b>Original Accessories - Exterior</b>										
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○	○	○	○
SIU Smart Sensor drawbar load indicator	—	6.57	3447380	○	○	○	○	○	○	○
SIU Smart Sensor gas indicator	—	0.03	3447374	○	○	○	○	○	○	○
SIU Smart Sensor tyre pressure	—	0	3447384	○	○	○	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○	○	○	○
<b>Original Accessories - Interior</b>										
Clothes hooks	—	0.51	3156334	○	○	○	○	○	○	○
Fitted sheet additional bottom cushion	—	0.35	2897496	○	—	—	○	—	—	—
Fitted sheet bunk bed	—	0.7	2897494	—	—	○	—	—	○	○
Fitted sheet double bed	—	1	2897491	—	○	○	—	—	○	○
Fitted sheet queen's bed	—	1	2897490	—	—	—	—	○	—	—
Fitted sheet single bed	—	0.7	2897492	○	—	—	○	—	—	—
Mattress topper Queen bed	—	12	2897502	—	—	—	—	○	—	—
Mattress topper additional cushion up to 500 mm length	—	2.6	2897506	○	—	—	○	—	—	—
Mattress topper bunk bed	—	6	2897505	—	—	○	—	—	○	○
Mattress topper double bed	—	12	2897503	—	○	○	—	—	○	○
Mattress topper single bed	—	6	2897504	○	—	—	○	—	—	—
Paper roll holder	—	0.9	3162090	○	○	○	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683760	○	○	○	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683772	○	○	○	○	○	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○	○	○	○
SIU Smart Sensor Temperature	—	0.02	3447392	○	○	○	○	○	○	○
SIU Smart Sensor water tank level indicator	—	0.14	3447393	○	○	○	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○	○	○	○
Set of 3 hooks for rail - silver	—	0.05	3162088	○	○	○	○	○	○	○
Set of 3 hooks for rail- black	—	0.1	3756532	○	○	○	○	○	○	○
Storage shelf	—	0.24	3047938	○	○	○	○	○	○	○
Storage shelf - black	—	0.3	3756548	○	○	○	○	○	○	○
Storage tray	—	0.3	3713423	○	○	○	○	○	○	○
Storage tray - silver	—	0.28	3387301	○	○	○	○	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The items listed in this category are original Dethleffs parts and accessories that are retrofitted to the vehicle after delivery from the factory and not under the responsibility of the manufacturer. Original Dethleffs parts and accessories retrofitted to the vehicle affect the load capacity as well as the mass on the axle. Please note that the technically permissible maximum laden mass of the


vehicle as well as the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original Dethleffs parts and accessories. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Camper®


## The caravan for families

Completely redesigned with a fresh, modern look, the Camper® still stays true to its core values: an extensive standard specification, plenty of storage space and a wide range of bunk bed layouts and compact touring caravans – now more than ever, it is the perfect choice for adventure-loving families.

## Upholstery



+ Upholstery Downtown



+ Upholstery Rooftop ○



+ Upholstery City Vibes ○

## Wood décor



+ Wood décor Noce Nagano

○ optionally available


## Technical info

Overall length, approx.	691 - 946 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	282 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + Modern style! Stylish, new interior design with accents in trendy green. Upholstery in three matching colour schemes is available for selection.
- + New! Convenient access with the 65 cm wide living room door incl. waste bin.
- + Extra safe: the safelock door interlock with double steel bolts
- + Kitted out for all needs: our portfolio even features short caravans less than 7 m in length
- + Now included as standard: the Dethleffs "SIU System Information Unit" with voltage and level indicator via the Dethleffs app.
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.



# Camper®

## Technical info



Camper®		460 EL	490 EST	510 LE	520 ELT
Standard chassis		Lightweight chassis, 1500 kg	Lightweight chassis, 1500 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg
Overall length, approx.	cm	691	729	762	748
Body length approx.	cm	560	600	640	640
Overall width, approx.	cm	230	230	230	250
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	948	988	1028	1028
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	195 R14C LI106
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 / 190 x 85 / 190 x 210 ○	200 x 85 / 190 x 85 / 190 x 210 ○	210 x 135	200 x 85 / 190 x 85 / 190 x 210 ○
Bed dimension: Central / middle bed, L x W, approx.	cm	—	185 x 90	—	185 x 90
Bed dimension: Rear bed, L x W, approx.	cm	210 x 115	—	2x 200 x 85 / 200 x 210 ○	—
Sleeping berths standard / max.		3	3	4	3
Mass in running order (+/-5%)*	kg	1220 (1159 to 1281)*	1300 (1235 to 1365)*	1300 (1235 to 1365)*	1455 (1382 to 1528)*
Manufacturer-specified mass for optional equipment*	kg	195	110	195	150
Technically permissible maximum laden mass*	kg	1500	1500	1600	1700
Heating		S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	Combi 4 G/E, 4 kW Gas-Electric	S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	Combi 6 G/E, 6 kW Gas-Electric / Hot water heating, 6.4 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 6 / 1	0 / 6 / 1	0 / 7 / 1	0 / 0 / 1




\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Camper®

## Technical info



Camper®		530 DR	530 FSK	540 QMK	550 ESK
Standard chassis		Lightweight chassis, 1600 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	780	788	768	806
Body length approx.	cm	660	660	660	685
Overall width, approx.	cm	230	230	250	230
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	1048	1048	1048	1078
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	195 R14C LI106	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	205 x 150	200 x 135	200 x 140	2x 200 x 85 / 200 x 210 ○
Bed dimension: Central / middle bed, L x W, approx.	cm	—	190 x 100	230 x 115	190 x 100
Bed dimension: Rear bed, L x W, approx.	cm	210 x 135	210 x 70 / 195 x 75 / 210 x 75 ○ / 210 x 80 ○ / 210 x 70 ○	190 x 75 / 190 x 70 / 2x 190 x 75 ○ / 170 x 75 ○	210 x 70 / 200 x 75 / 210 x 75 ○ / 210 x 80 ○ / 210 x 70 ○
Sleeping berths standard / max.		4	5 / 6 ○	5 / 6 ○	5 / 6 ○
Mass in running order (+/-5%)*	kg	1350 (1283 to 1418)*	1370 (1302 to 1439)*	1460 (1387 to 1533)*	1430 (1359 to 1502)*
Manufacturer-specified mass for optional equipment*	kg	145	105	115	40
Technically permissible maximum laden mass*	kg	1600	1600	1700	1600
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 9 / 1	0 / 7 / 3	0 / 8 / 3	0 / 8 / 3




\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Camper®

## Technical info



Camper®		560 FMK	730 FKR
Standard chassis		Lightweight chassis, 1700 kg	Lightweight chassis, 2000 kg
Overall length, approx.	cm	818	946
Body length approx.	cm	685	815
Overall width, approx.	cm	250	250
Overall height, approx.	cm	282	282
Circumferential dimension awning approx.	cm	1078	1208
Headroom in living area, approx.	cm	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	185/70 R14 LI88
Bed dimension: Front bed, L x W, approx.	cm	200 x 155	200 x 155
Bed dimension: Central / middle bed, L x W, approx.	cm	230 x 115	200 x 75 / 2x 195 x 75 / 2x 195 x 75 ○
Bed dimension: Rear bed, L x W, approx.	cm	195 x 70 / 190 x 75 / 195 x 75 ○ / 195 x 80 ○ / 195 x 70 ○	230 x 155
Sleeping berths standard / max.		5 / 6 ○	7 / 8 ○
Mass in running order (+/-5%)*	kg	1530 (1454 to 1607)*	1800 (1710 to 1890)*
Manufacturer-specified mass for optional equipment*	kg	40	40
Technically permissible maximum laden mass*	kg	1700	2000
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)
Waste water tank, approx.	l	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 9 / 3	0 / 10 / 3

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
<b>Chassis</b>										
Single axle premium wheel 195 R14 C L1106 (with steel wheel 1.700 kg and 1.800 kg)	—	—	—	●	—	—	●	—	●	—
Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg	●	●	●	—	●	●	—	●	—	—
Tandem axle tyres on steel rims 185/70 R14 L188 up to and including 2000 kg	—	—	—	—	—	—	—	—	—	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●	●	●	●	●	●	●
<b>Chassis features</b>										
AAA self-adjusting brake	●	●	●	●	●	●	●	●	●	●
ACS stabiliser	●	●	●	●	●	●	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●	●	●	●	●	●
Octagon shock absorber	●	●	●	●	●	●	●	●	●	●
<b>Exterior features</b>										
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●	●	●	●	●	●
Flyscreen door	●	●	●	●	●	●	●	●	●	●
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	●	●	●	●	●	●	●	●	●	●
Fully-insulated wheel houses	●	●	●	●	●	●	●	●	●	●
Kitchen window, sliding (change of window shape)	●	●	—	—	●	●	—	●	●	—
Midi Heki lift-and-tilt skylight incl. illuminated roof lining	●	●	●	●	●	●	●	●	●	●
Opening window in bathroom	—	●	—	—	—	●	●	—	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●	●	●	●	●	●
Robust GRP roof	●	●	●	●	●	●	●	●	●	●
Sidewall skirts with integrated side-marker lamps	●	●	●	●	●	●	●	●	●	●
Skylight Mini Heki	●	●	●	●	●	●	●	●	●	●
Space-saving gas locker door which opens upwards	●	●	●	●	●	●	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●	●	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●	●	●	●	●	●
Wide, one-piece habitation door	●	●	●	●	●	●	●	●	●	●
<b>Exterior design</b>										
Front and rear in smooth sides white	●	●	●	●	●	●	●	●	●	●
Sides in hammer finish, white	●	●	●	●	●	●	●	●	●	●
<b>Access locker doors</b>										
Access locker door front right side 648x348 mm	—	—	—	—	●	—	—	—	—	—
Access locker door front right side 997x419 mm	●	●	—	●	—	●	—	●	—	—
Access locker door rear right side 640x1000 mm <sup>9)</sup>	—	—	—	—	—	●	—	●	—	—
Access locker door rear right side 997x419 mm	—	—	●	—	—	—	—	—	—	—
<b>Interior design</b>										
Upholstery Downtown	●	●	●	●	●	●	●	●	●	●
Wood décor Noce Nagano	●	●	●	●	●	●	●	●	●	●
<b>Textile equipment</b>										
7-zones double bed mattress, made of heat-regulating material	—	—	—	—	●	●	●	—	●	●
7-zones mattress left side, made of heat-regulating material	●	●	●	●	—	—	—	●	—	—
7-zones mattress right side, made of heat-regulating material	●	●	●	●	—	—	—	●	—	—
Additional cushion for bed construction	●	●	●	●	●	●	●	●	●	●
<b>Furniture layouts</b>										
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	—	—	—	—	●	●	●	●	—
Bunk bed with 2 sleeping berths, not foldable	—	—	—	—	—	—	—	—	—	●
Bunk beds with safety net and ladder	—	—	—	—	—	●	●	●	●	●
One-legged telescopic table, height adjustable	—	—	—	●	●	—	●	—	●	●
Seating lounge converts to bed	●	●	●	●	●	●	●	●	●	●

# Standard equipment

	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●	●	●	●	●	●
<b>Kitchen</b>										
Generous drawers with soft closing for absolutely silent closing	●	●	●	●	●	●	●	●	●	●
High-quality 2-burner hob with electric ignition	●	●	●	●	●	●	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	●	●	●	●	●	●	●	●	●	●
Practical apothecary drawers (depending on layout)	●	●	●	●	●	●	●	●	●	●
<b>Bathroom</b>										
Integrated design washbasin made of solid surface material	●	●	●	●	●	●	●	●	●	●
Shower tray	●	●	●	●	●	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●	●	●	●	●	●
<b>Heating</b>										
Gas heating S 3004 with automatic ignition	●	—	●	—	—	—	—	—	—	—
Gas heating S 5004 with automatic ignition	—	—	—	—	●	●	●	●	●	●
Hot air system	●	●	●	●	●	●	●	●	●	●
<b>Electrical installation</b>										
12 V power supply throughout vehicle	●	●	●	●	●	●	●	●	●	●
Awning light 12V	●	●	●	●	●	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●	●	●	●	●	●
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	●	●	●	●	●	●	●	●	●	●
Indirect lighting (roof level)	●	●	●	●	●	●	●	●	●	●
LED light bar system 12V (on head-side of bed and in seating lounge)	●	●	●	●	●	●	●	●	●	●
USB port for spotlight bar	●	●	●	●	●	●	●	●	●	●
<b>Water supply</b>										
Electric water supply	●	●	●	●	●	●	●	●	●	●
Fresh water tank 38 l	●	●	●	●	●	●	●	●	●	●
Hot water supply	●	—	●	—	●	●	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●	●	●	●	●	●	●
<b>Miscellaneous</b>										
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	●	●	●	●	●	●	●	●	●	●

# Packages Camper®

Package	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)
Smooth sides white	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Front and rear light carriers with high attachment and roof rails	x	x	x
Smooth sides white		x	
Smooth sides white			x
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling-Paket weiß (Tandemachser 2 t) (15759)	Styling package white (tandem axle 2.2 to 2.8 t) (13258)
Smooth sides white	x	x
Draw bar cover	x	x
Large support feet, 4 pc.	x	x
Solid rubber support wheel with support load indicator	x	x
Front and rear light carriers with high attachment and roof rails	x	x
Tyres on alloy wheels 185/70 R14 LI88, up to and including 2000 kg	x	
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg		x
Additional weight (kg)*	43.4	47.4

Package	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)
Smooth sides titanium silver metallic	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Front and rear light carriers with high attachment and roof rails	x	x	x
Smooth sides titanium silver metallic		x	
Smooth sides titanium silver metallic			x
Additional weight (kg)*	45.7	48.3	51.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Styling-Paket silber (Tandemachser 2 t) (15760)	Styling package silver (tandem axle 2.2 to 2.8 t) (13259)
Smooth sides titanium silver metallic	x	x
Draw bar cover	x	x
Large support feet, 4 pc.	x	x
Solid rubber support wheel with support load indicator	x	x
Front and rear light carriers with high attachment and roof rails	x	x
Tyres on alloy wheels 185/70 R14 LI88, up to and including 2000 kg	x	
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg		x
Additional weight (kg)*	43.4	47.4

Package	Winter Comfort Package for Combi heating (10481)
Electric floor heating	x
XPS insulation for the entire habitation (depending on vehicle size)	x
Insulated threader hose	x
Additional weight (kg)*	30.1

Package	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
Insulated threader hose	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)	x		
Hot air heating Combi 6 G/E incl. digital control unit	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)		x	
XPS insulation for the entire habitation (depending on vehicle size)			x
Additional weight (kg)*	50.1	52.8	55

Package	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)
Hot water heating	x	x	x
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)	x		
XPS insulation for the entire habitation (depending on vehicle size)		x	
XPS insulation for the entire habitation (depending on vehicle size)			x
Additional weight (kg)*	74.1	76.8	79



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)
Hot water heating	x	x	x
Hot water floor heating (only in comb. with option 205)	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)	x		
XPS insulation for the entire habitation (depending on vehicle size)		x	
XPS insulation for the entire habitation (depending on vehicle size)			x
Additional weight (kg)*	75.1	77.8	80

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	x	
Electric Autonomy equipment	x	x
Mover manoeuvring support for tandem-axle		x
Additional weight (kg)*	70	98

Package	Water and Electric Autonomy Package Combi 4 (11031)	Water and Electric Autonomy Package Combi 6 (11032)	Water and electricity self-sufficiency package (9943)
Hot air heating Combi 4 G/E incl. digital control unit	x		
Electric Autonomy equipment	x	x	x
Fresh water tank 70 l	x	x	x
Hot air heating Combi 6 G/E incl. digital control unit		x	
Additional weight (kg)*	55.5	55.5	40.5

Safety Package (8950)	
ATC Trailer Control	
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	
Smoke detector	
Additional weight (kg)*	6.3

Shower Package (6105)	
Shower equipment with shower fittings and curtain	
City water connection	
Additional weight (kg)*	7

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FRK
<b>Chassis</b>													
17" alloy wheels in Dethleffs design (single axle)	STP	10	11608	○	○	○	○	○	○	○	○	○	—
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	—	0	836	○	○	○	—	○	○	—	○	—	—
Tyres on alloy wheels 185/70 R14 LI88, up to and including 2000 kg	STP	0	840	—	—	—	—	—	—	—	—	—	○
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	—	2	838	○	○	○	○	○	○	○	○	○	—
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	STP	4	859	—	—	—	—	—	—	—	—	—	○
<b>Weight upgrade</b>													
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	0.3	278	—	—	—	—	○	○	—	○	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	23.1	278	○	—	—	—	—	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	23.9	278	—	○	—	—	—	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	24.3	278	—	—	○	—	—	—	—	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	31.6	279	—	○	—	○	—	—	—	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	5.9	279	—	—	—	—	—	—	○	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	6.6	279	—	—	—	—	—	—	—	—	○	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	6.8	279	—	—	—	—	○	○	—	○	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	32	279	—	—	○	—	—	—	—	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	23.8	394	—	—	—	—	—	—	○	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	27	394	—	—	—	○	—	—	—	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	18.7	394	—	—	—	—	—	—	—	—	○	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	19.2	394	—	—	—	—	○	○	—	○	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	18.7	138	—	—	—	—	—	—	—	—	○	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	19.2	138	—	—	—	—	○	○	—	○	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	23.8	138	—	—	—	—	—	—	○	—	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	27	138	—	—	—	○	—	—	—	—	—	—
Weight upgrade 2.200 kg (incl. steel wheel 195/70 R14 C LI104)	—	2.6	6351	—	—	—	—	—	—	—	—	—	○
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	—	2.6	496	—	—	—	—	—	—	—	—	—	○
Weight upgrade to 1.600 kg	—	22.8	322	○	—	—	—	—	—	—	—	—	—
Weight upgrade to 1.600 kg	—	23.6	322	—	○	—	—	—	—	—	—	—	—
Weight upgrade 2.800 kg (incl. steel wheel 195/70 R14 C LI104)	—	27.4	7713	—	—	—	—	—	—	—	—	—	○
<b>Chassis features</b>													
ATC Trailer Control	SHP	4	748	○	○	○	○	○	○	○	○	○	○
Breakdown kit	—	1	620	○	○	○	○	○	○	○	○	○	○
Draw bar cover	STP	2	434	○	○	○	○	○	○	○	○	○	○
Large support feet, 4 pc.	STP	1	6348	○	○	○	○	○	○	○	○	○	○
Mover manoeuvring support for single-axle <sup>8)</sup>	M-P	32	946	○	○	○	○	○	○	○	○	○	—
Mover manoeuvring support for tandem-axle <sup>8)</sup>	M-P	60	984	—	—	—	—	—	—	—	—	—	○
Solid rubber support wheel with support load indicator	STP	2	10063	○	○	○	○	○	○	○	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	○	○	○	—	○	—	—	—	—	—
Spare tyre with alloy wheel 185/70 R14 LI 88, up to and including 2.000 kg	—	18	841	—	—	—	—	—	—	—	—	—	○
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	18.8	839	○	○	○	○	○	—	—	—	○	—
Spare tyre with alloy wheel 195/70 R14 C-LI 102, 2.200 kg to 2.800 kg	—	18.8	861	—	—	—	—	—	—	—	—	—	○
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg	—	23.2	1092	—	—	—	○	—	—	—	—	○	—



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMIK	550 ESK	560 FMK	730 FRK
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	○	○	○	—	○	—	—	—	—	—
Spare tyre with steel wheel 185/70 R14 LI 88, up to and including 2.000 kg	—	18	835	—	—	—	—	—	—	—	—	—	○
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	19.5	833	○	○	○	○	○	—	—	—	○	—
Spare tyre with steel wheel 195/70 R14 C-LI 104, 2.200 kg to 2.800 kg	—	20	860	—	—	—	—	—	—	—	—	—	○
Wheel trims for 14" tyres	—	2	276	○	○	○	○	○	○	○	○	○	○
<b>Exterior features</b>													
Flush-fitting windows (not possible for front and rear windows) <sup>10)</sup>	—	3	7561	○	○	○	○	○	○	○	○	○	○
Front window	—	4	982	○	○	●	○	○	—	○	○	—	—
Front window (bed area), if washroom in front	—	5	855	—	—	—	—	—	○	—	—	○	○
Manual cassette awning, 3.75 m	—	25.5	13831	○	—	—	—	—	—	—	—	—	—
Manual cassette awning, 4 m	—	27.5	13832	—	○	○	○	—	—	—	—	—	—
Manual cassette awning, 4.5 m	—	30	13833	—	—	—	—	○	○	○	○	○	—
Manual cassette awning, 6 m	—	54.6	13835	—	—	—	—	—	—	—	—	—	○
Rear window	—	4	1108	●	—	○	—	●	—	—	—	—	●
Wide, one-piece habitation door with window	—	3	862	○	○	○	○	○	○	○	○	○	○
XPS insulation for the entire habitation (depending on vehicle size)	—	17.6	179	○	—	—	—	—	—	—	—	—	—
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	20.1	179	—	○	○	○	○	○	○	—	—	—
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	22.8	179	—	—	—	—	—	—	—	○	○	—
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	25	179	—	—	—	—	—	—	—	—	—	○
<b>Exterior design</b>													
Smooth sides titanium silver metallic	STP	18.7	659	○	—	—	—	—	—	—	—	—	—
Smooth sides titanium silver metallic	STP	21.3	659	—	○	○	○	○	○	○	—	—	—
Smooth sides titanium silver metallic	STP	24.1	659	—	—	—	—	—	—	—	○	○	—
Smooth sides titanium silver metallic	STP	26.4	659	—	—	—	—	—	—	—	—	—	○
Smooth sides white	STP	18.7	443	○	—	—	—	—	—	—	—	—	—
Smooth sides white	STP	21.3	443	—	○	○	○	○	○	○	—	—	—
Smooth sides white	STP	24.1	443	—	—	—	—	—	—	—	○	○	—
Smooth sides white	STP	26.4	443	—	—	—	—	—	—	—	—	—	○
<b>Access locker doors</b>													
Access locker door 1550x1050 mm with window <sup>12)</sup>	—	8	9486	—	—	—	—	—	—	○	—	—	—
Access locker door front left side 1069x299 mm	—	2.2	1083	—	—	○	—	—	—	—	—	—	—
Access locker door front left side 648x348 mm	—	2	1071	—	—	—	○	○	—	—	○	—	—
Access locker door front right side 1069x299 mm	—	2	1084	—	—	○	—	—	—	—	—	—	—
Access locker door rear left side 1069x299 mm	—	2	1085	—	—	—	—	—	—	—	—	—	○
Access locker door rear left side 749x297 mm	—	2	1077	○	—	—	—	—	—	—	—	—	—
Access locker door rear right side 1069x299 mm	—	2	1086	—	—	—	—	○	—	—	—	—	○
Front left storage compartment flap 997x419 mm <sup>11)</sup>	—	2.2	1079	—	—	—	○	—	—	●	○	●	●
<b>Interior design</b>													
Upholstery City Vibes	—	0	13792	○	○	○	○	○	○	○	○	○	○
Upholstery Rooftop	—	0	13791	○	○	○	○	○	○	○	○	○	○
<b>Textile equipment</b>													
7-zones double bed mattress, made of heat-regulating material with watergel cover	—	4	8214	—	—	—	—	○	○	○	—	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FRK
7-zones mattress left side, made of heat-regulating material with watergel cover	—	5	8215	○	○	○	○	—	—	—	○	—	—
7-zones mattress right side, made of heat-regulating material with watergel cover	—	5	8216	○	○	○	○	—	—	—	○	—	—
Loose carpet	—	8.5	513	○	○	○	○	○	○	○	○	○	○
<b>Furniture layouts</b>													
Bunk bed with 2 sleeping berths, not foldable, instead of seating lounge	—	0	9775	—	—	—	—	—	—	—	—	—	○
Bunk bed with 3 sleeping berths, not foldable	—	20	200	—	—	—	—	—	○	○	○	○	—
Single beds convert to double bed	—	5	685	○	○	○	○	—	—	—	○	—	—
Slatted bed frame with adjustable head section	—	1	871	○	○	○	○	—	—	—	○	—	—
<b>Interior features</b>													
2 kg fire extinguisher	—	3.5	843	○	○	○	○	○	○	○	○	○	○
Multifunctional tray 2 pieces	—	1	15003	○	○	○	○	○	○	○	○	○	○
Smoke detector	SHP	0.3	8949	○	○	○	○	○	○	○	○	○	○
<b>Kitchen</b>													
Oven	—	17	572	○	○	○	○	○	○	○	○	○	○
<b>Bathroom</b>													
Bathroom in alternative design	—	4	604	—	—	—	—	—	○	○	—	○	○
<b>Multimedia</b>													
Flat screen TV 22" incl. DVD player and receiver <sup>13)</sup>	—	3.5	1103	○	○	○	○	○	○	○	○	○	○
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○	○	○	○	○	○
<b>Heating</b>													
Electric floor heating	WI-KO	9	387	○	○	○	○	○	○	○	○	○	○
Fan 12 V with automatic speed control for S 5004	—	2	178	—	—	—	—	○	○	○	○	○	○
Fan 12V for S 3004	—	2	177	○	—	○	—	—	—	—	—	—	—
Hot air heating Combi 4 G/E incl. digital control unit	WEA-P	15	10480	○	●	○	—	—	—	—	—	—	—
Hot air heating Combi 6 G/E incl. digital control unit	WEA-P, WI-KO	15	9427	—	—	—	●	○	○	○	○	○	○
Hot water floor heating (only in comb. with option 205) <sup>14)</sup>	WI-KO	10	674	—	—	—	○	○	○	○	○	○	○
Hot water heating	WI-KO	40	205	—	—	—	○	○	○	○	○	○	○
Insulated threader hose <sup>15)</sup>	WI-KO	1	9535	○	○	○	○	○	○	○	○	○	○
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	—	○	—	—	—	—	—	—	—
Ultraheat additional heating for S 5004, electric 220 V	—	2	422	—	—	—	—	○	○	○	○	○	○
<b>Air Conditioning</b>													
Pre-wiring for A/C	—	0	172	○	○	○	○	○	○	○	○	○	○
Roof A/C	—	35	8145	○	○	○	○	○	○	○	○	○	○
<b>Electrical installation</b>													
Electric Autonomy equipment	WEA-P, M-P	38	492	○	○	○	○	○	○	○	○	○	○
<b>Water supply</b>													
City water connection	DUP	2	414	○	○	○	○	○	○	○	○	○	○
Exterior shower	—	2	396	○	○	○	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Fresh water tank 70 l	WEA-P	2.5	592	○	○	○	○	○	○	○	○	○	○
Shower equipment with shower fittings and curtain	DUP	5	1097	○	○	○	○	○	○	○	○	○	○
Waste water pipes insulated and heated	WI-KO	5	520	—	—	—	○	○	○	○	○	○	○
<b>Gas supply</b>													
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	2	784	○	○	○	○	○	○	○	○	○	○
Gas socket (exterior)	—	1	187	○	○	○	○	○	○	○	○	○	○
<b>Packages</b>													
Mover Autonomy Package (single axle)	—	70	5560	○	○	○	○	○	○	○	○	○	—
Mover Autonomy Package (tandem axle)	—	98	5561	—	—	—	—	—	—	—	—	—	○
Safety Package	—	6.3	8950	○	○	○	○	○	○	○	○	○	○
Shower Package	—	7	6105	○	○	○	○	○	○	○	○	○	○
Styling Package silver (single axle)	—	51.1	13255	—	—	—	—	—	—	—	○	○	—
Styling Package silver (single axle)	—	48.3	13255	—	○	○	○	○	○	○	—	—	—
Styling Package silver (single axle)	—	45.7	13255	○	—	—	—	—	—	—	—	—	—
Styling Package white (single axle)	—	51.1	13254	—	—	—	—	—	—	—	○	○	—
Styling Package white (single axle)	—	48.3	13254	—	○	○	○	○	○	○	—	—	—
Styling Package white (single axle)	—	45.7	13254	○	—	—	—	—	—	—	—	—	—
Styling package silver (tandem axle 2.2 to 2.8 t)	—	47.4	13259	—	—	—	—	—	—	—	—	—	○
Styling package white (tandem axle 2.2 to 2.8 t)	—	47.4	13258	—	—	—	—	—	—	—	—	—	○
Styling-Paket silber (Tandemachser 2 t)	—	43.4	15760	—	—	—	—	—	—	—	—	—	○
Styling-Paket weiß (Tandemachser 2 t)	—	43.4	15759	—	—	—	—	—	—	—	—	—	○
Water and Electric Autonomy Package Combi 4	—	55.5	11031	○	—	○	—	—	—	—	—	—	—
Water and Electric Autonomy Package Combi 6	—	55.5	11032	—	—	—	—	○	○	○	○	○	○
Water and electricity self-sufficiency package	—	40.5	9943	○	○	○	○	○	○	○	○	○	○
Winter Comfort Package Combi 6	—	55	9536	—	—	—	—	—	—	—	—	—	○
Winter Comfort Package Combi 6	—	52.8	9536	—	—	—	—	—	—	—	○	○	—
Winter Comfort Package Combi 6	—	50.1	9536	—	—	—	—	○	○	○	—	—	—
Winter Comfort Package SNOW	—	76.8	5459	—	—	—	—	—	—	—	○	○	—
Winter Comfort Package SNOW	—	74.1	5459	—	—	—	○	○	○	○	—	—	—
Winter Comfort Package SNOW	—	79	5459	—	—	—	—	—	—	—	—	—	○
Winter Comfort Package SNOW PLUS	—	77.8	5551	—	—	—	—	—	—	—	○	○	—
Winter Comfort Package SNOW PLUS	—	80	5551	—	—	—	—	—	—	—	—	—	○
Winter Comfort Package SNOW PLUS	—	75.1	5551	—	—	—	○	○	○	○	—	—	—
Winter Comfort Package for Combi heating	—	30.1	10481	—	—	—	○	—	—	—	—	—	—
<b>Miscellaneous</b>													
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

STP Styling Package SHP Safety Package M-P Mover Autonomy Package WI-KO Winter Comfort Package WEA-P Water and Electric Autonomy Package DUP Shower Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Accessory Equipment\*

Please note that the prices listed in this category are the recommended retail price of our original accessories. Additional assembly costs may be incurred for the subsequent assembly of the original accessories by your dealer.

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FRK
<b>Original Accessories - Exterior</b>													
Exhaust chimney extension for Alde roof chimneys	—	0.4	841058	—	—	—	—	—	○	○	○	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor drawbar load indicator	—	6.57	3447380	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor gas indicator	—	0.03	3447374	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor tyre pressure	—	0	3447384	○	○	○	○	○	○	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○	○	○	○	○	○	○
<b>Original Accessories - Interior</b>													
Clothes hooks	—	0.51	3156334	○	○	○	○	○	○	○	○	○	○
Fitted sheet bunk bed	—	0.7	2897494	—	—	—	—	—	○	○	○	○	○
Fitted sheet double bed	—	1	2897491	—	—	—	—	—	○	○	—	○	○
Fitted sheet single bed	—	0.7	2897492	○	—	○	—	—	—	—	○	—	—
Mattress topper bunk bed	—	6	2897505	—	—	—	—	—	○	○	○	○	○
Mattress topper double bed	—	12	2897503	—	—	—	—	—	○	○	—	○	○
Mattress topper single bed	—	6	2897504	○	—	○	—	—	—	—	○	—	—
Paper roll holder	—	0.9	3162090	○	○	○	○	○	○	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683772	○	○	○	○	○	○	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683760	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor Temperature	—	0.02	3447392	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor water tank level indicator	—	0.14	3447393	○	○	○	○	○	○	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○	○	○	○	○	○	○
Set of 3 hooks for rail - silver	—	0.05	3162088	○	○	○	○	○	○	○	○	○	○
Set of 3 hooks for rail- black	—	0.1	3756532	○	○	○	○	○	○	○	○	○	○
Storage shelf	—	0.24	3047938	○	○	○	○	○	○	○	○	○	○
Storage shelf - black	—	0.3	3756548	○	○	○	○	○	○	○	○	○	○
Storage tray	—	0.3	3713423	○	○	○	○	○	○	○	○	○	○
Storage tray - silver	—	0.28	3387301	○	○	○	○	○	○	○	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The items listed in this category are original Dethleffs parts and accessories that are retrofitted to the vehicle after delivery from the factory and not under the responsibility of the manufacturer. Original Dethleffs parts and accessories retrofitted to the vehicle affect the load capacity as well as the mass on the axle. Please note that the technically permissible maximum laden mass of the

vehicle as well as the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original Dethleffs parts and accessories. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Nomad

## The design-led caravan

The latest generation of the Nomad lives up to its premium design ambitions with clean lines, basalt grey super-matt locker doors and black functional elements – all perfectly highlighted after sunset thanks to the sophisticated Light Moments lighting system. With its distinctive design features and extensive specification, the Nomad is the ideal caravan for discerning travellers.

## Upholstery



+ Upholstery Selma



+ Upholstery Olea

○



+ Upholstery Lona

○

## Wood décor



+ Wood décor Ashton

○ optionally available


## Technical info

Overall length, approx.	691 - 946 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	282 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + Impressive exterior design: with chic details such as a stylish rear light carrier with LED lights and manoeuvring handles in elegant black.
- + New! Comfort access with the 65 cm wide living room door incl. window, blinds and bin.
- + Modern lightness in the interior thanks to linear forms, floating backrests and exquisite lighting design
- + Cooking like at home: very well-equipped gourmet kitchen with illuminated kitchen back panel
- + Good as standard: ready to go thanks to comprehensive specifications
- + Bright prospects: window in the living room door as standard
- + Now standard on board: the Dethleffs "SIU System Information Unit" with voltage and level indicator via the Dethleffs app.
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.



# Nomad

## Technical info



Nomad		460 EL	490 EST	510 LE	520 ELT
Standard chassis		Lightweight chassis, 1500 kg	Lightweight chassis, 1500 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg
Overall length, approx.	cm	691	729	762	748
Body length approx.	cm	560	600	640	640
Overall width, approx.	cm	230	230	230	250
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	948	988	1028	1028
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	195 R14C LI106
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 / 190 x 85 / 190 x 210 ○	200 x 85 / 190 x 85 / 190 x 210 ○	210 x 135	200 x 85 / 190 x 85 / 190 x 210 ○
Bed dimension: Central / middle bed, L x W, approx.	cm	—	185 x 90	—	185 x 90
Bed dimension: Rear bed, L x W, approx.	cm	210 x 115	—	2x 200 x 85 / 200 x 210 ○	—
Sleeping berths standard / max.		3	3	4	3
Mass in running order (+/-5%)*	kg	1260 (1197 to 1323)*	1310 (1245 to 1376)*	1345 (1278 to 1412)*	1475 (1401 to 1549)*
Manufacturer-specified mass for optional equipment*	kg	155	100	150	130
Technically permissible maximum laden mass*	kg	1500	1500	1600	1700
Heating		S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	Combi 4 G/E, 4 kW Gas-Electric	S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	Combi 6 G/E, 6 kW Gas-Electric / Hot water heating, 6.4 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 6 / 1	0 / 6 / 1	0 / 7 / 1	0 / 0 / 1




\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Nomad

## Technical info



Nomad		530 DR	530 FSK	540 QMK	550 ESK
Standard chassis		Lightweight chassis, 1600 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	780	788	768	806
Body length approx.	cm	660	660	660	685
Overall width, approx.	cm	230	230	250	230
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	1048	1048	1048	1078
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	195 R14C LI106	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	205 x 150	200 x 135	200 x 140	2x 200 x 85 / 200 x 210 ○
Bed dimension: Central / middle bed, L x W, approx.	cm	—	190 x 100	230 x 115	190 x 100
Bed dimension: Rear bed, L x W, approx.	cm	210 x 135	210 x 70 / 195 x 75 / 210 x 75 ○ / 210 x 80 ○ / 210 x 70 ○	190 x 75 / 190 x 70 / 2x 190 x 75 ○ / 170 x 75 ○	210 x 70 / 200 x 75 / 210 x 75 ○ / 210 x 80 ○ / 210 x 70 ○
Sleeping berths standard / max.		4	5 / 6 ○	5 / 6 ○	5 / 6 ○
Mass in running order (+/-5%)*	kg	1380 (1311 to 1449)*	1390 (1321 to 1460)*	1490 (1416 to 1565)*	1450 (1378 to 1523)*
Manufacturer-specified mass for optional equipment*	kg	115	85	85	20
Technically permissible maximum laden mass*	kg	1600	1600	1700	1600
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 9 / 1	0 / 7 / 3	0 / 8 / 3	0 / 8 / 3




\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Nomad

## Technical info



Nomad		560 FMK	730 FKR
Standard chassis		Lightweight chassis, 1700 kg	Lightweight chassis, 2200 kg
Overall length, approx.	cm	818	946
Body length approx.	cm	685	815
Overall width, approx.	cm	250	250
Overall height, approx.	cm	282	282
Circumferential dimension awning approx.	cm	1078	1208
Headroom in living area, approx.	cm	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	195/70 R14C LI104
Bed dimension: Front bed, L x W, approx.	cm	200 x 155	200 x 155
Bed dimension: Central / middle bed, L x W, approx.	cm	230 x 115	200 x 75 / 2x 195 x 75 / 2x 195 x 75 ○
Bed dimension: Rear bed, L x W, approx.	cm	195 x 70 / 190 x 75 / 195 x 75 ○ / 195 x 80 ○ / 195 x 70 ○	230 x 155
Sleeping berths standard / max.		5 / 6 ○	7 / 8 ○
Mass in running order (+/-5%)*	kg	1545 (1468 to 1622)*	1840 (1748 to 1932)*
Manufacturer-specified mass for optional equipment*	kg	25	240
Technically permissible maximum laden mass*	kg	1700	2200
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric ○ / Hot water heating, 6.4 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)
Waste water tank, approx.	l	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 9 / 3	0 / 10 / 3

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
<b>Chassis</b>										
Single axle premium wheel 195 R14 C LI106 (with steel wheel 1.700 kg and 1.800 kg)	—	—	—	●	—	—	●	—	●	—
Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg	●	●	●	—	●	●	—	●	—	—
Tandem axle premium wheel 195/70 R14 C LI104 (with steel wheel 2.200 kg to 2.800 kg)	—	—	—	—	—	—	—	—	—	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●	●	●	●	●	●	●
<b>Chassis features</b>										
AAA self-adjusting brake	●	●	●	●	●	●	●	●	●	●
ACS stabiliser	●	●	●	●	●	●	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●	●	●	●	●	●
Octagon shock absorber	●	●	●	●	●	●	●	●	●	●
<b>Exterior features</b>										
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●	●	●	●	●	●
Flyscreen door	●	●	●	●	●	●	●	●	●	●
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	●	●	●	●	●	●	●	●	●	●
Fully-insulated wheel houses	●	●	●	●	●	●	●	●	●	●
Kitchen window, sliding (change of window shape)	●	●	—	—	●	●	—	●	●	—
Midi Heki lift-and-tilt skylight incl. illuminated roof lining	●	●	●	●	●	●	●	●	●	●
Opening window in bathroom	—	●	—	—	—	●	●	—	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●	●	●	●	●	●
Robust GRP roof	●	●	●	●	●	●	●	●	●	●
Sidewall skirts with integrated side-marker lamps	●	●	●	●	●	●	●	●	●	●
Skylight Mini Heki	●	●	●	●	●	●	●	●	●	●
Space-saving gas locker door which opens upwards	●	●	●	●	●	●	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●	●	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●	●	●	●	●	●
Wide, one-piece habitation door with window	●	●	●	●	●	●	●	●	●	●
<b>Exterior design</b>										
Front and rear in smooth sides white	●	●	●	●	●	●	●	●	●	●
Sides in hammer finish, white	●	●	●	●	●	●	●	●	●	●
<b>Access locker doors</b>										
Access locker door front right side 648x348 mm	—	—	—	—	●	—	—	—	—	—
Access locker door front right side 997x419 mm	●	●	—	●	—	●	—	●	—	—
Access locker door rear right side 640x1000 mm <sup>9)</sup>	—	—	—	—	—	●	—	●	—	—
Access locker door rear right side 997x419 mm	—	—	●	—	—	—	—	—	—	—
<b>Interior design</b>										
Upholstery Selma	●	●	●	●	●	●	●	●	●	●
Wood décor Ashton	●	●	●	●	●	●	●	●	●	●
<b>Textile equipment</b>										
7-zones double bed mattress, made of heat-regulating material	—	—	—	—	●	●	●	—	●	●
7-zones mattress left side, made of heat-regulating material	●	●	●	●	—	—	—	●	—	—
7-zones mattress right side, made of heat-regulating material	●	●	●	●	—	—	—	●	—	—
Additional cushion for bed construction	●	●	●	●	●	●	●	●	●	●
<b>Furniture layouts</b>										
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	—	—	—	—	●	●	●	●	—
Bunk bed with 2 sleeping berths, not foldable	—	—	—	—	—	—	—	—	—	●
Bunk beds with safety net and ladder	—	—	—	—	—	●	●	●	●	●
One-legged telescopic table, height adjustable	—	—	—	●	●	—	●	—	●	●
Seating lounge converts to bed	●	●	●	●	●	●	●	●	●	●

# Standard equipment

	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●	●	●	●	●	●
<b>Kitchen</b>										
Generous drawers with soft closing for absolutely silent closing	●	●	●	●	●	●	●	●	●	●
High-quality 2-burner hob with electric ignition	●	●	●	●	●	●	●	●	●	●
Kitchen worktop with indirect lighting	●	●	●	●	●	●	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	●	●	●	●	●	●	●	●	●	●
Practical apothecary drawers (depending on layout)	●	●	●	●	●	●	●	●	●	●
<b>Bathroom</b>										
Integrated design washbasin made of solid surface material	●	●	●	●	●	●	●	●	●	●
Shower tray	●	●	●	●	●	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●	●	●	●	●	●
<b>Heating</b>										
Gas heating S 3004 with automatic ignition	●	—	●	—	—	—	—	—	—	—
Gas heating S 5004 with automatic ignition	—	—	—	—	●	●	●	●	●	●
Hot air system	●	●	●	●	●	●	●	●	●	●
<b>Electrical installation</b>										
12 V power supply throughout vehicle	●	●	●	●	●	●	●	●	●	●
Awning light 12V	●	●	●	●	●	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●	●	●	●	●	●
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	●	●	●	●	●	●	●	●	●	●
Illuminated kitchen back panel	●	●	●	●	●	●	●	●	●	●
Indirect lighting (roof level)	●	●	●	●	●	●	●	●	●	●
Indirect lighting (side level)	●	●	●	●	●	●	●	●	●	●
LED light bar system 12V (on head-side of bed and in seating lounge)	●	●	●	●	●	●	●	●	●	●
USB port for spotlight bar	●	●	●	●	●	●	●	●	●	●
<b>Water supply</b>										
Electric water supply	●	●	●	●	●	●	●	●	●	●
Fresh water tank 38 l	●	●	●	●	●	●	●	●	●	●
Hot water supply	●	—	●	—	●	●	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●	●	●	●	●	●	●
<b>Miscellaneous</b>										
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	●	●	●	●	●	●	●	●	●	●

# Packages Nomad

Package	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)
Smooth sides white	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Front and rear light carriers with high attachment and roof rails	x	x	x
Smooth sides white		x	
Smooth sides white			x
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling package white (tandem axle 2.2 to 2.8 t) (13258)
Draw bar cover	x
Large support feet, 4 pc.	x
Solid rubber support wheel with support load indicator	x
Front and rear light carriers with high attachment and roof rails	x
Smooth sides white	x
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	x
Additional weight (kg)*	47.4

Package	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)
Smooth sides titanium silver metallic	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Front and rear light carriers with high attachment and roof rails	x	x	x
Smooth sides titanium silver metallic		x	
Smooth sides titanium silver metallic			x
Additional weight (kg)*	45.7	48.3	51.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Styling package silver (tandem axle 2.2 to 2.8 t) (13259)
Draw bar cover	x
Large support feet, 4 pc.	x
Solid rubber support wheel with support load indicator	x
Front and rear light carriers with high attachment and roof rails	x
Smooth sides titanium silver metallic	x
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	x
Additional weight (kg)*	47.4

Package	Winter Comfort Package for Combi heating (10481)
Electric floor heating	x
XPS insulation for the entire habitation (depending on vehicle size)	x
Insulated threader hose	x
Additional weight (kg)*	30.1

Package	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
Insulated threader hose	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)	x		
Hot air heating Combi 6 G/E incl. digital control unit	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)		x	
XPS insulation for the entire habitation (depending on vehicle size)			x
Additional weight (kg)*	50.1	52.8	55

Package	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)
Hot water heating	x	x	x
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)	x		
XPS insulation for the entire habitation (depending on vehicle size)		x	
XPS insulation for the entire habitation (depending on vehicle size)			x
Additional weight (kg)*	74.1	76.8	79



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)
Hot water heating	x	x	x
Hot water floor heating (only in comb. with option 205)	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for the entire habitation (depending on vehicle size)	x		
XPS insulation for the entire habitation (depending on vehicle size)		x	
XPS insulation for the entire habitation (depending on vehicle size)			x
Additional weight (kg)*	75.1	77.8	80

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	x	
Electric Autonomy equipment	x	x
Mover manoeuvring support for tandem-axle		x
Additional weight (kg)*	70	98

Package	Water and Electric Autonomy Package Combi 4 (11031)	Water and Electric Autonomy Package Combi 6 (11032)	Water and electricity self-sufficiency package (9943)
Hot air heating Combi 4 G/E incl. digital control unit	x		
Electric Autonomy equipment	x	x	x
Fresh water tank 70 l	x	x	x
Hot air heating Combi 6 G/E incl. digital control unit		x	
Additional weight (kg)*	55.5	55.5	40.5

<b>Safety Package (8950)</b>	
ATC Trailer Control	
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	
Smoke detector	
Additional weight (kg)*	6.3

<b>Shower Package (6105)</b>	
Shower equipment with shower fittings and curtain	
City water connection	
Additional weight (kg)*	7

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FRK
<b>Chassis</b>													
17" alloy wheels in Dethleffs design (single axle)	STP	10	11608	○	○	○	○	○	○	○	○	○	—
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	—	0	836	○	○	○	—	○	○	—	○	—	—
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	—	2	838	○	○	○	○	○	○	○	○	○	—
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	STP	4	859	—	—	—	—	—	—	—	—	—	○
<b>Weight upgrade</b>													
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	0.3	278	—	—	○	—	○	○	—	○	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	20.1	278	—	○	—	—	—	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	23.1	278	○	—	—	—	—	—	—	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	8	279	—	—	○	—	—	—	—	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	5.9	279	—	—	—	—	—	—	○	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	6.6	279	—	—	—	—	—	—	—	—	○	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	6.8	279	—	—	—	—	○	○	—	○	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	31.6	279	—	○	—	○	—	—	—	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	23.8	394	—	—	—	—	—	—	○	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	27	394	—	—	—	○	—	—	—	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	18.7	394	—	—	—	—	—	—	—	—	○	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	19.2	394	—	—	—	—	○	○	—	○	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	27	138	—	—	—	○	—	—	—	—	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	18.7	138	—	—	—	—	—	—	—	—	○	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	19.2	138	—	—	—	—	○	○	—	○	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	23.8	138	—	—	—	—	—	—	○	—	—	—
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	—	0	496	—	—	—	—	—	—	—	—	—	○
Weight upgrade to 1.600 kg	—	22.8	322	○	—	—	—	—	—	—	—	—	—
Weight upgrade to 1.600 kg	—	23.6	322	—	○	—	—	—	—	—	—	—	—
Weight upgrade 2.800 kg (incl. steel wheel 195/70 R14 C LI104)	—	24.8	7713	—	—	—	—	—	—	—	—	—	○
<b>Chassis features</b>													
ATC Trailer Control	SHP	4	748	○	○	○	○	○	○	○	○	○	○
Breakdown kit	—	1	620	○	○	○	○	○	○	○	○	○	○
Draw bar cover	STP	2	434	○	○	○	○	○	○	○	○	○	○
Large support feet, 4 pc.	STP	1	6348	○	○	○	○	○	○	○	○	○	○
Mover manoeuvring support for single-axle <sup>8)</sup>	M-P	32	946	○	○	○	○	○	○	○	○	○	—
Mover manoeuvring support for tandem-axle <sup>8)</sup>	M-P	60	984	—	—	—	—	—	—	—	—	—	○
Solid rubber support wheel with support load indicator	STP	2	10063	○	○	○	○	○	○	○	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	○	○	○	—	○	—	—	—	—	—
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	18.8	839	○	○	○	○	○	—	—	—	○	—
Spare tyre with alloy wheel 195/70 R14 C-LI 102, 2.200 kg to 2.800 kg	—	18.8	861	—	—	—	—	—	—	—	—	—	○
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg	—	23.2	1092	—	—	—	○	—	—	—	—	○	—
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	○	○	○	—	○	—	—	—	—	—
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	19.5	833	○	○	○	○	○	—	—	—	○	—
Spare tyre with steel wheel 195/70 R14 C-LI 104, 2.200 kg to 2.800 kg	—	20	860	—	—	—	—	—	—	—	—	—	○
Wheel trims for 14" tyres	—	2	276	○	○	○	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMIK	550 ESK	560 FMK	730 FRK
<b>Exterior features</b>													
Flush-fitting windows (not possible for front and rear windows) <sup>10)</sup>	—	3	7561	○	○	○	○	○	○	○	○	○	○
Front window	—	4	982	○	○	●	○	○	—	○	○	—	—
Front window (bed area), if washroom in front	—	5	855	—	—	—	—	—	○	—	—	○	○
Manual cassette awning, 3.75 m	—	25.5	13831	○	—	—	—	—	—	—	—	—	—
Manual cassette awning, 4 m	—	27.5	13832	—	○	○	○	—	—	—	—	—	—
Manual cassette awning, 4.5 m	—	30	13833	—	—	—	—	○	○	○	○	○	—
Manual cassette awning, 6 m	—	54.6	13835	—	—	—	—	—	—	—	—	—	○
Rear window	—	4	1108	●	—	○	—	●	—	—	—	—	●
XPS insulation for the entire habitation (depending on vehicle size)	—	17.6	179	○	—	—	—	—	—	—	—	—	—
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	20.1	179	—	○	○	○	○	○	○	—	—	—
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	22.8	179	—	—	—	—	—	—	—	○	○	—
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	25	179	—	—	—	—	—	—	—	—	—	○
<b>Exterior design</b>													
Smooth sides titanium silver metallic	STP	18.7	659	○	—	—	—	—	—	—	—	—	—
Smooth sides titanium silver metallic	STP	21.3	659	—	○	○	○	○	○	○	—	—	—
Smooth sides titanium silver metallic	STP	24.1	659	—	—	—	—	—	—	—	○	○	—
Smooth sides titanium silver metallic	STP	26.4	659	—	—	—	—	—	—	—	—	—	○
Smooth sides white	STP	18.7	443	○	—	—	—	—	—	—	—	—	—
Smooth sides white	STP	21.3	443	—	○	○	○	○	○	○	—	—	—
Smooth sides white	STP	24.1	443	—	—	—	—	—	—	—	○	○	—
Smooth sides white	STP	26.4	443	—	—	—	—	—	—	—	—	—	○
<b>Access locker doors</b>													
Access locker door 1550x1050 mm with window <sup>12)</sup>	—	8	9486	—	—	—	—	—	—	○	—	—	—
Access locker door front left side 1069x299 mm	—	2.2	1083	—	—	○	—	—	—	—	—	—	—
Access locker door front left side 648x348 mm	—	2	1071	—	—	—	○	○	—	—	○	—	—
Access locker door front right side 1069x299 mm	—	2	1084	—	—	○	—	—	—	—	—	—	—
Access locker door rear left side 1069x299 mm	—	2	1085	—	—	—	—	—	—	—	—	—	○
Access locker door rear left side 749x297 mm	—	2	1077	○	—	—	—	—	—	—	—	—	—
Access locker door rear right side 1069x299 mm	—	2	1086	—	—	—	—	○	—	—	—	—	○
Front left storage compartment flap 997x419 mm <sup>11)</sup>	—	2.2	1079	—	—	—	○	—	—	●	○	●	●
<b>Interior design</b>													
Upholstery Lona	—	0	13795	○	○	○	○	○	○	○	○	○	○
Upholstery Olea	—	0	13794	○	○	○	○	○	○	○	○	○	○
<b>Textile equipment</b>													
7-zones double bed mattress, made of heat-regulating material with watergel cover	—	4	8214	—	—	—	—	○	○	○	—	○	○
7-zones mattress left side, made of heat-regulating material with watergel cover	—	5	8215	○	○	○	○	—	—	—	○	—	—
7-zones mattress right side, made of heat-regulating material with watergel cover	—	5	8216	○	○	○	○	—	—	—	○	—	—
Loose carpet	—	8.5	513	○	○	○	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
<b>Furniture layouts</b>													
Bunk bed with 2 sleeping berths, not foldable, instead of seating lounge	—	0	9775	—	—	—	—	—	—	—	—	—	○
Bunk bed with 3 sleeping berths, not foldable	—	20	200	—	—	—	—	—	○	○	○	○	—
Single beds convert to double bed	—	5	685	○	○	○	○	—	—	—	○	—	—
Slatted bed frame with adjustable head section	—	1	871	○	○	○	○	—	—	—	○	—	—
<b>Interior features</b>													
2 kg fire extinguisher	—	3.5	843	○	○	○	○	○	○	○	○	○	○
Multifunctional tray 2 pieces	—	1	15003	○	○	○	○	○	○	○	○	○	○
Smoke detector	SHP	0.3	8949	○	○	○	○	○	○	○	○	○	○
<b>Kitchen</b>													
Oven	—	17	572	○	○	○	○	○	○	○	○	○	○
<b>Bathroom</b>													
Bathroom in alternative design	—	4	604	—	—	—	—	—	○	○	—	○	○
<b>Multimedia</b>													
Flat screen TV 22" incl. DVD player and receiver <sup>13)</sup>	—	3.5	1103	○	○	○	○	○	○	○	○	○	○
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○	○	○	○	○	○
<b>Heating</b>													
Electric floor heating	WI-KO	9	387	○	○	○	○	○	○	○	○	○	○
Fan 12 V with automatic speed control for S 5004	—	2	178	—	—	—	—	○	○	○	○	○	○
Fan 12V for S 3004	—	2	177	○	—	○	—	—	—	—	—	—	—
Hot air heating Combi 4 G/E incl. digital control unit	WEA-P	15	10480	○	●	○	—	—	—	—	—	—	—
Hot air heating Combi 6 G/E incl. digital control unit	WEA-P, WI-KO	15	9427	—	—	—	●	○	○	○	○	○	○
Hot water floor heating (only in comb. with option 205) <sup>14)</sup>	WI-KO	10	674	—	—	—	○	○	○	○	○	○	○
Hot water heating	WI-KO	40	205	—	—	—	○	○	○	○	○	○	○
Insulated threader hose <sup>16)</sup>	WI-KO	1	9535	○	○	○	○	○	○	○	○	○	○
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	—	○	—	—	—	—	—	—	—
Ultraheat additional heating for S 5004, electric 220 V	—	2	422	—	—	—	—	○	○	○	○	○	○
<b>Air Conditioning</b>													
Pre-wiring for A/C	—	0	172	○	○	○	○	○	○	○	○	○	○
Roof A/C	—	35	8145	○	○	○	○	○	○	○	○	○	○
<b>Electrical installation</b>													
Electric Autonomy equipment	WEA-P, M-P	38	492	○	○	○	○	○	○	○	○	○	○
<b>Water supply</b>													
City water connection	DUP	2	414	○	○	○	○	○	○	○	○	○	○
Exterior shower	—	2	396	○	○	○	○	○	○	○	○	○	○
Fresh water tank 70 l	WEA-P	2.5	592	○	○	○	○	○	○	○	○	○	○
Shower equipment with shower fittings and curtain	DUP	5	1097	○	○	○	○	○	○	○	○	○	○
Waste water pipes insulated and heated	WI-KO	5	520	—	—	—	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
<b>Gas supply</b>													
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	2	784	○	○	○	○	○	○	○	○	○	○
Gas socket (exterior)	—	1	187	○	○	○	○	○	○	○	○	○	○
<b>Packages</b>													
Mover Autonomy Package (single axle)	—	70	5560	○	○	○	○	○	○	○	○	○	—
Mover Autonomy Package (tandem axle)	—	98	5561	—	—	—	—	—	—	—	—	—	○
Safety Package	—	6.3	8950	○	○	○	○	○	○	○	○	○	○
Shower Package	—	7	6105	○	○	○	○	○	○	○	○	○	○
Styling Package silver (single axle)	—	51.1	13255	—	—	—	—	—	—	—	○	○	—
Styling Package silver (single axle)	—	48.3	13255	—	○	○	○	○	○	○	—	—	—
Styling Package silver (single axle)	—	45.7	13255	○	—	—	—	—	—	—	—	—	—
Styling Package white (single axle)	—	51.1	13254	—	—	—	—	—	—	—	○	○	—
Styling Package white (single axle)	—	48.3	13254	—	○	○	○	○	○	○	—	—	—
Styling Package white (single axle)	—	45.7	13254	○	—	—	—	—	—	—	—	—	—
Styling package silver (tandem axle 2.2 to 2.8 t)	—	47.4	13259	—	—	—	—	—	—	—	—	—	○
Styling package white (tandem axle 2.2 to 2.8 t)	—	47.4	13258	—	—	—	—	—	—	—	—	—	○
Water and Electric Autonomy Package Combi 4	—	55.5	11031	○	—	○	—	—	—	—	—	—	—
Water and Electric Autonomy Package Combi 6	—	55.5	11032	—	—	—	—	○	○	○	○	○	○
Water and electricity self-sufficiency package	—	40.5	9943	○	○	○	○	○	○	○	○	○	○
Winter Comfort Package Combi 6	—	55	9536	—	—	—	—	—	—	—	—	—	○
Winter Comfort Package Combi 6	—	52.8	9536	—	—	—	—	—	—	—	○	○	—
Winter Comfort Package Combi 6	—	50.1	9536	—	—	—	—	○	○	○	—	—	—
Winter Comfort Package SNOW	—	74.1	5459	—	—	—	○	○	○	○	—	—	—
Winter Comfort Package SNOW	—	79	5459	—	—	—	—	—	—	—	—	—	○
Winter Comfort Package SNOW	—	76.8	5459	—	—	—	—	—	—	—	○	○	—
Winter Comfort Package SNOW PLUS	—	75.1	5551	—	—	—	○	○	○	○	—	—	—
Winter Comfort Package SNOW PLUS	—	77.8	5551	—	—	—	—	—	—	—	○	○	—
Winter Comfort Package SNOW PLUS	—	80	5551	—	—	—	—	—	—	—	—	—	○
Winter Comfort Package for Combi heating	—	30.1	10481	—	—	—	○	—	—	—	—	—	—
<b>Miscellaneous</b>													
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

STP Styling Package SHP Safety Package M-P Mover Autonomy Package WI-KO Winter Comfort Package WEA-P Water and Electric Autonomy Package DUP Shower Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Accessory Equipment\*

Please note that the prices listed in this category are the recommended retail price of our original accessories. Additional assembly costs may be incurred for the subsequent assembly of the original accessories by your dealer.

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FRK
<b>Original Accessories - Exterior</b>													
Exhaust chimney extension for Alde roof chimneys	—	0.4	841058	—	—	—	○	○	—	—	—	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor drawbar load indicator	—	6.57	3447380	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor gas indicator	—	0.03	3447374	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor tyre pressure	—	0	3447384	○	○	○	○	○	○	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○	○	○	○	○	○	○
<b>Original Accessories - Interior</b>													
Clothes hooks	—	0.51	3156334	○	○	○	○	○	○	○	○	○	○
Fitted sheet bunk bed	—	0.7	2897494	—	—	—	—	—	—	—	—	○	○
Fitted sheet double bed	—	1	2897491	—	—	—	—	—	—	—	—	○	○
Fitted sheet queen's bed	—	1	2897490	—	—	—	—	○	—	—	—	—	—
Fitted sheet single bed	—	0.7	2897492	○	○	○	○	—	—	—	—	—	—
Mattress topper Queen bed	—	12	2897502	—	—	—	—	○	—	—	—	—	—
Mattress topper bunk bed	—	6	2897505	—	—	—	—	—	—	—	—	○	○
Mattress topper double bed	—	12	2897503	—	—	—	—	—	—	—	—	○	○
Mattress topper single bed	—	6	2897504	○	○	○	○	—	—	—	—	—	—
Paper roll holder	—	0.9	3162090	○	○	○	○	○	○	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683760	○	○	○	○	○	○	○	○	○	○
Retrofittable multifunctional rail	—	0.5	3683772	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor Temperature	—	0.02	3447392	○	○	○	○	○	○	○	○	○	○
SIU Smart Sensor water tank level indicator	—	0.14	3447393	○	○	○	○	○	○	○	○	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○	○	○	○	○	○	○	○	○
Set of 3 hooks for rail - silver	—	0.05	3162088	○	○	○	○	○	○	○	○	○	○
Set of 3 hooks for rail- black	—	0.1	3756532	○	○	○	○	○	○	○	○	○	○
Storage shelf	—	0.24	3047938	○	○	○	○	○	○	○	○	○	○
Storage shelf - black	—	0.3	3756548	○	○	○	○	○	○	○	○	○	○
Storage tray	—	0.3	3713423	○	○	○	○	○	○	○	○	○	○
Storage tray - silver	—	0.28	3387301	○	○	○	○	○	○	○	○	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The items listed in this category are original Dethleffs parts and accessories that are retrofitted to the vehicle after delivery from the factory and not under the responsibility of the manufacturer. Original Dethleffs parts and accessories retrofitted to the vehicle affect the load capacity as well as the mass on the axle. Please note that the technically permissible maximum laden mass of the

vehicle as well as the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original Dethleffs parts and accessories. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# Beduin Scandinavia

## Designed for comfort and freedom

Although the Beduin has been a success since 1956, it has taken many small evolutionary steps to become what it is today: a fully refined premium caravan designed for year-round use. In its updated 2025 generation, the Beduin once again raises the bar in terms of both design and functionality. Experience Scandinavian flair and a touch of luxury – combined with genuine winter suitability thanks to the standard hot-water heating system and electric floor heating.

## Upholstery



+ Upholstery Tropea



+ Upholstery Tarragona ○



+ Upholstery Nova ○

## Wood décor



+ Wood decor Tricolor Darkgrey/Oak/Felt Stone

○ optionally available


## Technical info

Overall length, approx.	806 - 907 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	282 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.


## Plus factors

- + Upscale standard equipment: with hot-water heating as standard, electr. floor heating, side panels in smooth white sheet metal and a wide range of other options
- + Gourmet vacations made easy: incomparable cooking experience in the spacious front kitchen with built-in oven as standard
- + Inviting ambience: the indirect and dimmable lighting on three levels creates a cosy atmosphere
- + Unsurpassed comfort: high-quality padding and cleverly sewn fabrics encourage you to stick around
- + Step in: easy access thanks to wide entrance door with window
- + Watch out winter campers: with the optional Winter Comfort Package Premium, you'll be prepared for colder temperatures too.
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.



# Beduin Scandinavia

## Technical info



Beduin Scandinavia		550 BET	690 BQT
Standard chassis		Lightweight chassis, 1800 kg	Lightweight chassis, 2200 kg
Overall length, approx.	cm	806	907
Body length approx.	cm	685	775
Overall width, approx.	cm	230	250
Overall height, approx.	cm	282	282
Circumferential dimension awning approx.	cm	1078	1163
Headroom in living area, approx.	cm	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C L1106	195/70 R14C L1104
Bed dimension: Central / middle bed, L x W, approx.	cm	180 x 110	230 x 115
Bed dimension: Rear bed, L x W, approx.	cm	205 x 80 / 190 x 80 / 205 - 190 x 215 ○	185 - 200 x 155
Sleeping berths standard / max.		3	4
Mass in running order (+/-5%)*	kg	1630 (1549 to 1712)*	1855 (1762 to 1948)*
Manufacturer-specified mass for optional equipment*	kg	70	225
Technically permissible maximum laden mass*	kg	1800	2200
Heating		Hot water heating, 6.4 kW Gas-Electric	Hot water heating, 6.4 kW Gas-Electric
Refrigerator volume (thereof freezer), approx.	l	137 (15)	156 (29)
Waste water tank, approx.	l	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 7 / 1	0 / 8 / 1

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

550 BET

690 BQT

	550 BET	690 BQT
<b>Chassis</b>		
Single axle premium wheel 195 R14 C LI106 (with steel wheel 1.700 kg and 1.800 kg)	●	—
Tandem axle premium wheel 195/70 R14 C LI104 (with steel wheel 2.200 kg to 2.800 kg)	—	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●
<b>Chassis features</b>		
AAA self-adjusting brake	●	●
ACS stabiliser	●	●
Breakdown kit	●	●
Draw bar cover	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●
Lightweight corner steadies	●	●
Octagon shock absorber	●	●
Wheel trims for 14" tyres	●	●
<b>Exterior features</b>		
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●
Flyscreen door	●	●
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	●	●
Fully-insulated wheel houses	●	●
Midi Heki clear-view skylight with blackout blind, flyscreen and integrated lights, operation with crank handle	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●
Panoramic front window	●	●
Robust GRP roof	●	●
Sidewall skirts with integrated side-marker lamps	●	●
Skylight Mini Heki	●	●
Space-saving gas locker door which opens upwards	●	●
Spare wheel carrier in gas locker	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●
Wide, one-piece habitation door with window	●	●
<b>Exterior design</b>		
Front and rear in smooth sides white	●	●
Front and rear light carriers with high attachment and roof rails	●	●
Smooth sides white	●	●
<b>Access locker doors</b>		
Access locker door rear left side 997x419 mm	—	●
Access locker door rear right side 997x419 mm	●	—
<b>Interior design</b>		
Upholstery Tropea	●	●
Wood decor Tricolor Darkgrey/Oak/Felt Stone	●	●
<b>Textile equipment</b>		
7-zones double bed mattress, made of heat-regulating material	—	●
7-zones mattress left side, made of heat-regulating material	●	—
7-zones mattress right side, made of heat-regulating material	●	—
High-quality upholstery and materials in the seating group	●	●
<b>Furniture layouts</b>		
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●
One-legged telescopic table, height adjustable	●	●
Seating lounge converts to bed	●	●
Sofa bed (opposite the central seating lounge)	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●
<b>Kitchen</b>		
Generous drawers with soft closing for absolutely silent closing	●	●

# Standard equipment

	550 BET	690 BQT
High-quality 2-burner hob with electric ignition	●	●
Kitchen worktop with indirect lighting	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	●	—
Large fridge with 156 liters capacity and 29 liters freezer compartment	—	●
Oven	●	●
Practical apothecary drawers (depending on layout)	●	●
<b>Bathroom</b>		
Integrated design washbasin made of solid surface material	●	●
Shower tray	●	●
Skylight with mosquito net	●	●
<b>Multimedia</b>		
Preparation for flat screen TV (antenna cable and TV bracket)	●	●
<b>Heating</b>		
Electric floor heating	●	●
Hot water heating	●	●
<b>Air Conditioning</b>		
Pre-wiring for A/C	●	●
<b>Electrical installation</b>		
12 V power supply throughout vehicle	●	●
Awning light 12V	●	●
CEE external output socket for 230V on-board electrics	●	●
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	●	●
Indirect lighting (floor level)	●	●
Indirect lighting (roof level)	●	●
Indirect lighting (side level)	●	●
LED light bar system 12V (on head-side of bed and in seating lounge)	●	●
USB port for spotlight bar	●	●
<b>Water supply</b>		
Electric water supply	●	●
Fresh water tank 38 l	●	●
Mobile 22 l waste water tank	●	●
<b>Miscellaneous</b>		
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	●	●

# Packages Beduin Scandinavia

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	x	
Electric Autonomy equipment	x	x
Mover manoeuvring support for tandem-axle		x
Additional weight (kg)*	70	98

Package	Water and electricity self-sufficiency package (9943)
Electric Autonomy equipment	x
Fresh water tank 70 l	x
Additional weight (kg)*	40.5

Package	Winter Comfort Package Premium (11332)	Winter Comfort Package Premium (11332)
Hot water floor heating (only in comb. with option 205)	x	x
Heated and insulated 42-litre waste water tank	x	x
Waste water pipes insulated and heated	x	x
Electric Autonomy equipment	x	x
Flush-fitting windows (not possible for front and rear windows)	x	x
XPS insulation for the entire habitation (depending on vehicle size)	x	
XPS insulation for the entire habitation (depending on vehicle size)		x
Additional weight (kg)*	88.8	91

Safety Package (8950)	
ATC Trailer Control	
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	
Smoke detector	
Additional weight (kg)*	6.3

Shower Package (6105)	
Shower equipment with shower fittings and curtain	
City water connection	
Additional weight (kg)*	7

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	550 BET	690 BQT
<b>Chassis</b>					
17" alloy wheels in Dethleffs design (single axle)	—	10	11608	○	—
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	—	2	838	○	—
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	—	4	859	—	○
<b>Weight upgrade</b>					
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	12.4	394	○	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	12.4	138	○	—
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	—	0	496	—	○
Weight upgrade 2.800 kg (incl. steel wheel 195/70 R14 C LI104)	—	18	7713	—	○
<b>Chassis features</b>					
ATC Trailer Control	SHP	4	748	○	○
Large support feet, 4 pc.	—	1	6348	○	○
Mover manoeuvring support for single-axle <sup>8)</sup>	M-P	32	946	○	—
Mover manoeuvring support for tandem-axle <sup>8)</sup>	M-P	60	984	—	○
Solid rubber support wheel with support load indicator	—	2	10063	○	○
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	18.8	839	○	—
Spare tyre with alloy wheel 225/70 R15 C LI 112, 1.900 kg and 2.000 kg	—	23.2	1092	○	—
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	19.5	833	○	—
<b>Exterior features</b>					
Flush-fitting windows (not possible for front and rear windows) <sup>10)</sup>	WI-KO	3	7561	○	○
Manual cassette awning, 4.5 m	—	30	13833	○	—
Manual cassette awning, 5.5 m	—	50.6	13834	—	○
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	22.8	179	○	—
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	25	179	—	○
<b>Exterior design</b>					
Smooth sides titanium silver metallic	—	0	659	○	○
<b>Interior design</b>					
Upholstery Nova	—	0	15752	○	○
Upholstery Tarragona	—	0	11331	○	○
<b>Textile equipment</b>					
7-zones double bed mattress, made of heat-regulating material with watergel cover	—	4	8214	—	○
7-zones mattress left side, made of heat-regulating material with watergel cover	—	5	8215	○	—
7-zones mattress right side, made of heat-regulating material with watergel cover	—	5	8216	○	—
Loose carpet	—	8.5	513	○	○
<b>Furniture layouts</b>					
Sideboard instead of couch (opposite the central seating group)	—	0	131	○	○
Single beds convert to double bed	—	5	685	○	—
Slatted bed frame with adjustable head section	—	1	871	○	—
<b>Interior features</b>					
2 kg fire extinguisher	—	3.5	843	○	○
Multifunctional tray 2 pieces	—	1	15003	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	550 BET	690 BQT
Smoke detector	SHP	0.3	8949	○	○
<b>Multimedia</b>					
Flat screen TV 22" incl. DVD player and receiver	—	3.5	1103	○	○
Flat screen TV 32" <sup>17)</sup>	—	5.6	817	○	○
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○
TV lift <sup>18)</sup>	—	5.4	7006	○	○
<b>Heating</b>					
Hot water floor heating (only in comb. with option 205) <sup>14)</sup>	WI-KO	10	674	○	○
<b>Air Conditioning</b>					
Roof A/C	—	35	8145	○	○
<b>Electrical installation</b>					
Electric Autonomy equipment	WEA-P, M-P, WI-KO	38	492	○	○
<b>Water supply</b>					
City water connection	DUP	2	414	○	○
Exterior shower	—	2	396	○	○
Fresh water tank 70 l	WEA-P	2.5	592	○	○
Heated and insulated 42-litre waste water tank <sup>19)</sup>	WI-KO	10	10067	○	○
Shower equipment with shower fittings and curtain	DUP	5	1097	○	○
Waste water pipes insulated and heated	WI-KO	5	520	○	○
<b>Gas supply</b>					
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	2	784	○	○
Gas socket (exterior)	—	1	187	○	○
<b>Packages</b>					
Mover Autonomy Package (single axle)	—	70	5560	○	—
Mover Autonomy Package (tandem axle)	—	98	5561	—	○
Safety Package	—	6.3	8950	○	○
Shower Package	—	7	6105	○	○
Water and electricity self-sufficiency package	—	40.5	9943	○	○
Winter Comfort Package Premium	—	88.8	11332	○	—
Winter Comfort Package Premium	—	91	11332	—	○
<b>Miscellaneous</b>					
Registration documents (CoC papers)	—	0	15151	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

SHP Safety Package M-P Mover Autonomy Package WI-KO Winter Comfort Package WEA-P Water and Electric Autonomy Package DUP Shower Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Accessory Equipment\*

Please note that the prices listed in this category are the recommended retail price of our original accessories. Additional assembly costs may be incurred for the subsequent assembly of the original accessories by your dealer.

	Included in package	Additional weight (kg)*	Code	550 BET	690 BQT
<b>Original Accessories - Exterior</b>					
Exhaust chimney extension for Alde roof chimneys	—	0.4	841058	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○
SIU Smart Sensor drawbar load indicator	—	6.57	3447380	○	○
SIU Smart Sensor gas indicator	—	0.03	3447374	○	○
SIU Smart Sensor tyre pressure	—	0	3447384	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○
<b>Original Accessories - Interior</b>					
Fitted sheet queen's bed	—	1	2897490	—	○
Fitted sheet single bed	—	0.7	2897492	○	—
Mattress topper Queen bed	—	12	2897502	—	○
Mattress topper single bed	—	6	2897504	○	—
Paper roll holder	—	0.9	3162090	○	○
Retrofittable multifunctional rail	—	0.5	3683760	○	○
Retrofittable multifunctional rail	—	0.5	3683772	○	○
SIU Smart Sensor Contact	—	0.02	3447389	○	○
SIU Smart Sensor Temperature	—	0.02	3447392	○	○
SIU Smart Sensor water tank level indicator	—	0.14	3447393	○	○
SIU base unit incl. leveling and voltage	—	0.22	3569554	○	○
Set of 3 hooks for rail - silver	—	0.05	3162088	○	○
Set of 3 hooks for rail- black	—	0.1	3756532	○	○
Storage shelf	—	0.24	3047938	○	○
Storage shelf - black	—	0.3	3756548	○	○
Storage tray	—	0.3	3713423	○	○
Storage tray - silver	—	0.28	3387301	○	○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The items listed in this category are original Dethleffs parts and accessories that are retrofitted to the vehicle after delivery from the factory and not under the responsibility of the manufacturer. Original Dethleffs parts and accessories retrofitted to the vehicle affect the load capacity as well as the mass on the axle. Please note that the technically permissible maximum laden mass of the

vehicle as well as the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original Dethleffs parts and accessories. Detailed information and explanations on the subject of weight can be found in the Legal information section.

# LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for caravans are regulated uniformly throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Regulation No. 1230/2012). We have summarized and explained the essential terminology and legal requirements from this regulation for you below. Our dealers and the Dethleffs configurator on our website are there to give you additional assistance in configuring your vehicle.

## 1. Technically permissible maximum laden mass

The **technically permissible maximum laden mass** of the vehicle (e.g. 2,000 kg) is a mass specification defined by the manufacturer that the vehicle must not exceed. You can find information on the technically permissible maximum laden mass of the model you have selected in the technical data. Driving the vehicle even if it exceeds the technically permissible maximum laden mass constitutes an administrative offense that may result in a fine.

## 2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids;
- the standard equipment, i.e. all equipment and standard fittings included when the vehicle leaves the factory;
- the 100% filled water tank or driving tank according to the manufacturer's specifications and a 100% filled aluminum gas cylinder.

You can find information on the mass in running order for each model in our sales documents. It is **important to note** that the value specified in the sales documents for the mass in running order is a **standard value** determined in the type approval process and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value specified in the sales documents. The **legally permissible tolerance** is  $\pm 5\%$ . This allows EU legislation to account for the occurrence of certain fluctuations in the mass in running order due to weight fluctuations in components supplied by third-party suppliers as well as process and weather-related factors.

These weight deviations can be illustrated using the following example calculation:

- Mass in running order according to sales documents: 1,600 kg
- Legally permissible tolerance of  $\pm 5\%$ : 80 kg
- Legally permissible range of mass in running order: 1,520 kg to 1,680 kg

The specific range of permissible weight deviations can be found in the technical data for each model.

Dethleffs makes great efforts to reduce weight variations to the minimum level that is unavoidable for production reasons. Deviations at the upper and lower ends of the range are therefore very rare; however, they cannot be completely ruled out technically, even after carrying out all possible optimization measures. For this reason, Dethleffs checks the actual weight of the vehicle and compliance with the permissible tolerance by weighing each vehicle at the end of the line.

## 3. Optional equipment and actual mass

According to the legal definition, optional equipment (also including special or additional equipment) includes all optional equipment parts not included with the standard equipment that are fitted to the vehicle under the responsibility of the manufacturer – i.e. at the factory – and can be ordered by the customer (e.g. awning, smooth panel, Alde heating system, oven, etc.). For information on the individual or package weights of the optional equipment that can be ordered, please refer to our sales documents. In this meaning, optional equipment does not include other accessories that are retrofitted by you or your dealer personally after the vehicle has been delivered from the factory.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment installed on a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this information also represents a standardized value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of  $\pm 5\%$  (see no. 2), the actual mass may also deviate accordingly from the specified nominal value.

## 4. Payload and minimum payload

The installation of **optional equipment** is also subject to technical and legal limits: It is only permissible to order an amount of optional equipment for installation at the factory that will leave sufficient free weight for baggage and other accessories (i.e. "payload") without exceeding the technically permissible maximum laden mass.

The payload is obtained by deducting the mass in running order (nominal value according to sales documents; see no. 2 above) and the mass of the optional equipment from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum payload for caravans that must remain as a minimum for baggage or other accessories not installed at the factory. This minimum payload is calculated as follows:

Minimum payload in kg  $\geq 10 \cdot (n + L)$

where "n" = maximum number of sleeping berths and

"L" = total length of the vehicle body (without drawbar).

The maximum number of sleeping berths corresponds to the actual configured sleeping berths of the individual vehicle. For a caravan with 6 designated sleeping berths and a total length of the vehicle body of 7 m, the minimum payload is calculated as follows:  $10 \text{ kg} \cdot (6 + 7) = 130 \text{ kg}$ .

To ensure that the minimum payload is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum payload of 130 kg, the total mass of the optional equipment for a vehicle with 6 designated sleeping berths and a mass in running order of 1,750 kg should not exceed 120 kg:

- 2,000 kg technically permissible maximum laden mass**
- 1,750 kg mass in running order
- 130 kg minimum payload
- = **120 kg maximum permissible mass for optional equipment**

**It is important to note** that this calculation is based on the standard value for the mass in running order specified in the type approval procedure and does not account for permissible weight deviations for the mass in running order (see no. 2 above). If the maximum permissible value of 120 kg for the optional equipment is nearly or fully exhausted in this example and the standard value of the mass in running order is applied, it is possible for the minimum payload of 130 kg to be complied with mathematically in the event of an upward weight deviation even if the vehicle has no load capacity.

Here is another example calculation for a vehicle with 6 sleeping berths whose actual weighed mass in running order is 2% above the nominal value:

- 2,000 kg technically permissible maximum laden mass**
- 1,785 kg actual weighed mass in running order  
(in the example: 2% higher than the specified value of 1,750 kg)
- 120 kg optional equipment (maximum permissible value)
- = **95 kg actual load capacity**  
( < minimum pay-mass of 130 kg)

To avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total optional equipment that can be ordered depending on the specific model. The limitation of optional equipment is intended to ensure that the minimum payload, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by Dethleffs.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum payload is not guaranteed at the end of the line despite this limitation of optional equipment. In order to guarantee the minimum payload even in these cases, Dethleffs will check together with your trading partner and you before delivery of the vehicle whether, for example, the load capacity of your vehicle is to be increased or optional equipment removed.

## 5. Effects of tolerances of the mass in running order on the remaining load capacity

Irrespective of the minimum payload, you should bear in mind that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a corresponding effect on the remaining load capacity: If, for example, you order our example vehicle with optional equipment with a total weight of 90 kg, the calculated payload based on the standard value for the mass in running order is 160 kg.

The load capacity actually available may deviate upwards or downwards from this value due to tolerances. If the mass of your vehicle in running order is approximately 2% higher than specified in the sales documents, the load capacity is reduced from 160 kg to 125 kg:

- 2,000 kg technically permissible maximum laden mass**
- 1,785 kg actual weighed mass in running order  
(in the example: 2% higher than the specified value of 1,750 kg)
- 90 kg ordered optional equipment of the specific vehicle
- = **125 kg actual load capacity**

In order to ensure that the calculated payload is actually adhered to, you should therefore take the possible and permissible tolerances for the mass in running order into account as a precaution when configuring your vehicle.

We also recommend weighing the loaded caravan on a scale before each journey to check whether the technically permissible total weight is adhered to. In addition, we recommend checking the actual drawbar load of the loaded vehicle. This must not be higher than the max. drawbar load of the towing vehicle. Furthermore, the technically permissible maximum laden mass of the vehicle combination must be observed when loaded, i.e. the maximum mass of the combination of your motor vehicle and your caravan.

# TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with additional equipment, you should check whether it makes sense or is necessary to increase the vehicle's load capacity! The optional equipment partially replaces the standard equipment. Individual components of packages can also be ordered separately. Please note that this does not entitle you to a price advantage and may also extend the delivery time. Please contact your dealer for more information.

## FOOTNOTES

- 1) With tyres on alloy wheels, the wheel trims from the Active package are not included.
- 2) Only in combination with Package #13094/13274/13275 "Dynamic Package".
- 3) Kitchen window, sliding #6406 not included in the Active package for 420 QSH and 480 QLK.
- 4) Kitchen window, sliding #6406 not included in the Active package for 495 FR and 495 QSK.
- 5) Only in combination with option #8699 "Hanging table with rotating device"
- 6) Only in combination with option #187 "Gas exterior socket"
- 7) Only in combination with option #611 "Multifunction exterior socket 12V, 220V, TV and SAT"
- 8) Only in combination with package #5560/5561 "Mover-Autonomy Package".
- 9) Standard rear right storage compartment flap 640x1000 mm not applicable with option #200 'Bunk bed with 3 sleeping places, non-folding'.
- 10) Not available for front or rear windows. These windows are standard design.
- 11) Optional storage compartment flap #1079 not in combination with options #1071 'Front left storage compartment flap 648x348 mm' or #492 'Self-sufficient electrical equipment'.
- 12) Optional storage compartment flap #9486 not in combination with option #200 'Bunk bed with 3 sleeping places, non-folding'.
- 13) Only in combination with option #678 'Preparation for flat screen (antenna cable and TV bracket)'.
- 14) Only in combination with option #205 "Hot water heating".
- 15) Only in combination with package #9536 'Winter comfort package Combi 6' or package #10481 'Winter comfort package for Combi heating'.
- 16) Only in combination with package #9536 'Winter comfort package Combi 6' or package #10481 'Winter comfort package for Combi heating'.
- 17) Price incl. options #131 and #7006.
- 18) Only in combination with option #131 "Sideboard instead of sofa (opposite to central seating group)".
- 19) Only in combination with option #520 "Waste water hoses insulated and heated".

## General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted. These Technical Information is valid from from February 23th, 2026. Vehicle illustrations in this document may contain optional equipment subject to an extra charge. We expressly reserve the right to make changes.

With the publication of these Technical Information, all previous technical documents lose their validity. Throughout Europe, different Euro prices may arise. This is due to different country-specific standard equipment and different VAT or luxury tax rates.